J2
401: B61
1995
c.2

BASIC AUTOMATED BIRTH YEARBOOK

Department of
Environment, Health,
and Natural
Resources

State Center for
Health Statistics



North Carolina Residents – 1995

BASIC AUTOMATED BIRTH YEARBOOK

North Carolina Residents

1995

This report, referred to as ***The Baby Book,*** contains computer tables showing statewide counts and percentages for 1995 resident live births classified by select infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of maternal and child health programs and other users of baseline birth data.

This year's cover features babies of proud parents who work for the State Center:

Top Center: Andrew James McLawhorn born September 18, 1995. "Drew" is the son of Kathryn McLawhorn, Statistician II in the Health Surveillance Branch.

Middle Left: Nevin Raúl Avilés born December 10, 1995. He is the son of Carol Hanchette, GIS Manager.

Middle Right: Jaden Devohn Vines born November 29, 1995. His mother is Anissa Vines who was a Statistician I in the Central Cancer Registry. She has since left to continue her Ph.D. program at UNC.

Bottom Center: Bailey Lin Lacke born July 15, 1995. Her father is Chris Lacke, Statistician II in the Central Cancer Registry.

(Photographs by Jim Page, Public Affairs, Department of Environment, Health, and Natural Resources.)

Department of Environment, Health, and Natural Resources
State Center for Health Statistics
Post Office Box 29538
Raleigh, North Carolina 27626-0538

N.C. DOCUMENTS
CLEARINGHOUSE

NOV 7 1996

N.C. STATE LIBRARY
RALEIGH

STATE OF NORTH CAROLINA
James B. Hunt, Jr., Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
Jonathan B. Howes, Secretary

STATE CENTER FOR HEALTH STATISTICS
Delton Atkinson, M.S.P.H., M.P.H., Director

DEHNR

October 1996

350 copies of this public document were printed
at a cost of $865.05 or $2.47 per copy.

Printed on recycled paper

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached (Definition adopted by the World Health Organization in 1950.).

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband for more than 280 days.

'Birth order' is the sum of all previous deliveries (live births plus other reported terminations, i.e., spontaneous and induced at any time after conception) plus the present live birth.

'Birth weight' is expressed in grams. A low-weight birth is defined as a live born infant weighing less than 2500 grams (5 pounds, 8 ounces or less) at birth, regardless of the period of gestation (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.).

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed by the mother at time of the birth.

Beginning in 1990, the last seven tables of this report (Tables 16-22) provide new birth certificate items by birth weight by race. These pertain to medical history of the mother, maternal smoking and weight gain, obstetric procedures, events of labor and delivery, method of delivery, and conditions of the newborn. These items were added to the North Carolina birth certificate in 1988. In Tables 16 and 19-22, the row totals do not equal the total number of live births because some births involve multiple conditions.

RESIDENCE ALLOCATION

Births are assigned to the usual residence of the mother, regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite,' are used. In cases of mixed parentage, the newborn is considered to be the race of the mother.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar before April and processed in the state office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The page following the Table of Contents provides an example and instructions for reading the tables of this printout.

LISTING OF CROSS TABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		Page
1.	Age of Mother by Birth Order by Marital Status by Race (AGE/BTH ORDR/MS/RACE)	1
2.	Age of Mother by Birth Order by Race (AGE/BTH ORDR/RACE)	11
3.	Age of Mother by Birth Weight by Race (AGE/BTH WT/RACE)	17
4.	Education of Mother by Birth Weight by Race (ED/BTH WT/RACE)	23
5.	Month Prenatal Care Began by Education of Mother by Race (MPCB/ED/RACE)	26
6.	Month Prenatal Care Began by Age of Mother by Race (MPCB/AGE/RACE)	29
7.	Month Prenatal Care Began by Marital Status by Race (MPCB/MS/RACE)	35
8.	Month Prenatal Care Began by Birth Order by Race (MPCB/BTH ORDR/RACE)	38
9.	Month Prenatal Care Began by Birth Weight by Race (MPCB/BTH WT/RACE)	41
10.	Number of Prenatal Visits by Education of Mother by Race (PRENTL VSTS/ED/RACE)	44
11.	Number of Prenatal Visits by Age of Mother by Race (PRENTL VSTS/AGE/RACE)	50

12. Number of Prenatal Visits by Marital Status by Race 62
(PRENTL VSTS/MS/RACE)

13. Number of Prenatal Visits by Birth Order by Race 68
(PRENTL VSTS/BTH ORDR/RACE

14. Number of Prenatal Visits by Birth Weight by Race 74
(PRENTL VSTS/BTH WT/RACE)

15. Month Prenatal Care Began by Number of Prenatal Visits by Race 80
(MPCB/PRENTL VSTS/RACE)

16. Medical History by Birth Weight by Race 86
(MED HIS/BTH WT/RACE)

17. Maternal Smoking by Birth Weight by Race 89
(SMOKING/BTH WT/RACE)

18. Maternal Weight Gain by Birth Weight by Race 92
(WT GAIN/BTH WT/RACE)

19. Obstetric Procedures by Birth Weight by Race 95
(OB PROCS/BTH WT/RACE)

20. Events of Labor/Delivery by Birth Weight by Race 98
(EV OF LAB/BTH WT/RACE)

21 Method of Delivery by Birth Weight by Race 101
(METH DEL/BTH WT/RACE)

22. Conditions of Newborn by Birth Weight by Race 104
(CONDITION/BTH WT/RACE)

EXAMPLE

RESIDENT BIRTHS, YEAR 0001
AGE/BW/MS/RACE

AGE AGE OF MOTHER BY BW BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS OF MOTHER VALUE = 1 MARRIED
RACE VALUE = 1 WHITE

AGE	COUNT / ROW PCT / COL PCT	BW: 2500 GMS OR LESS (1)	BW: OVER 2500 GMS (2)	ROW TOTAL
20		355	2150	2505
		14.2	85.8	9.5
		10.4	9.4	
21		275	1855	2130
		12.9	87.1	8.1
		8.0	8.1	
22		209	1615	1824
		11.5	88.5	6.9
		6.1	7.0	
23		175	1420	1595
		11.0	89.0	6.1
		5.1	6.2	
24		177	1190	1367
		12.9	87.1	5.2
		5.2	5.2	
25 - 29		503	3990	4493
		11.2	88.8	17.1
		14.7	17.4	
30 - 34		216	1678	1894
		11.4	88.6	7.2
		6.3	7.3	
35 - 39		97	685	782
		12.4	87.6	3.0
		2.8	3.0	
40 - 44		35	199	234
		15.0	85.0	0.9
		1.0	0.9	
	COLUMN TOTAL	3425	22925	26350
		13.0	87.0	100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE SECTIONS. THE FIRST SECTION INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND SECTION SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR MARRIED WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD SECTION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 MARRIED WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'BW' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 MARRIED WHITE BIRTHS THAT WEIGHED 2500 GRAMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 MARRIED WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2, AND 10.4. THIS MEANS THAT

- 355 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 14.2 PERCENT OF 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 10.4 PERCENT OF 3425 MARRIED WHITE BIRTHS WEIGHING 2500 GRAMS OR LESS WERE TO WOMEN AGE 20.

Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1995nort

AGE OF MOTHER BY BIRTH ORDER
BY MARITAL STATUS
BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
14		8	1									9
		88.9	11.1									.0
		.0	.0									
15		66	11	1								78
		84.6	14.1	1.3								.1
		.3	.1	.0								
16		187	33	3								223
		83.9	14.8	1.3								.4
		.9	.2	.0								
17		413	102	25	4							544
		75.9	18.8	4.6	.7							.9
		2.1	.5	.2	.1							
18		716	270	43	9	1						1039
		68.9	26.0	4.1	.9	.1						1.8
		3.6	1.4	.4	.2	.1						
19		1024	482	125	29	4	1				1	1666
		61.5	28.9	7.5	1.7	.2	.1				.1	2.9
		5.1	2.4	1.2	.6	.2	.1				1.4	
20		1204	739	236	66	19	3			1	1	2269
		53.1	32.6	10.4	2.9	.8	.1			.0	.0	3.9
		6.0	3.7	2.2	1.5	1.0	.4			.7	1.4	
21		1138	859	304	91	19	4	1	1			2417
		47.1	35.5	12.6	3.8	.8	.2	.0	.0			4.1
		5.7	4.3	2.9	2.0	1.0	.5	.3	.7			
22		1166	993	418	147	48	15	2	2	1	4	2796
		41.7	35.5	14.9	5.3	1.7	.5	.1	.1	.0	.1	4.8
		5.8	5.0	3.9	3.2	2.6	2.0	.6	1.4	.7	5.7	
23		1198	1071	532	168	60	16	3	1	2	3	3054
		39.2	35.1	17.4	5.5	2.0	.5	.1	.0	.1	.1	5.2
		6.0	5.4	5.0	3.7	3.2	2.1	.9	.7	1.5	4.3	
24		1314	1245	597	207	70	9	10	4	3	2	3461
		38.0	36.0	17.2	6.0	2.0	.3	.3	.1	.1	.1	5.9
		6.5	6.3	5.6	4.6	3.7	1.2	2.9	2.7	2.2	2.9	
(Continued)	Column Total	20119 34.4	19875 34.0	10594 18.1	4530 7.8	1872 3.2	750 1.3	340 .6	147 .3	136 .2	70 .1	58433 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
25 - 29		6815 36.9 33.9	6452 34.9 32.5	3140 17.0 29.6	1267 6.9 28.0	470 2.5 25.1	190 1.0 25.3	74 .4 21.8	21 .1 14.3	18 .1 13.2	24 .1 34.3	18471 31.6
30 - 34		3735 24.0 18.6	5640 36.2 28.4	3527 22.6 33.3	1573 10.1 34.7	658 4.2 35.1	256 1.6 34.1	97 .6 28.5	56 .4 38.1	32 .2 23.5	18 .1 25.7	15592 26.7
35 - 39		1013 17.0 5.0	1767 29.7 8.9	1475 24.8 13.9	833 14.0 18.4	434 7.3 23.2	196 3.3 26.1	114 1.9 33.5	45 .8 30.6	51 .9 37.5	15 .3 21.4	5943 10.2
40 - 44		117 13.8 .6	209 24.7 1.1	165 19.5 1.6	132 15.6 2.9	86 10.2 4.6	57 6.7 7.6	38 4.5 11.2	17 2.0 11.6	23 2.7 16.9	2 .2 2.9	846 1.4
45 AND OVER		2 9.5 .0	1 4.8 .0	2 9.5 .0	4 19.0 .1	3 14.3 .2	3 14.3 .4	1 4.8 .3		5 23.8 3.7		21 .0
NOT STATED		3 75.0 .0		1 25.0 .0								4 .0
	Column Total	20119 34.4	19875 34.0	10594 18.1	4530 7.8	1872 3.2	750 1.3	340 .6	147 .3	136 .2	70 .1	58433 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
12		1										1
		100.0										.0
		.0										
13		23										23
		100.0										.2
		.4										
14		68	4									72
		94.4	5.6									.6
		1.0	.1									
15		243	10									253
		96.0	4.0									2.0
		3.7	.3									
16		646	55	4	2	1						708
		91.2	7.8	.6	.3	.1						5.5
		10.0	1.7	.2	.2	.3						
17		904	155	22	5	1	1					1088
		83.1	14.2	2.0	.5	.1	.1					8.5
		13.9	4.8	1.3	.6	.3	.6					
18		993	304	36	7	1						1341
		74.0	22.7	2.7	.5	.1						10.4
		15.3	9.4	2.2	.9	.3						
19		866	341	94	17	4	1				1	1324
		65.4	25.8	7.1	1.3	.3	.1				.1	10.3
		13.4	10.5	5.7	2.1	1.0	.6				10.0	
20		663	384	132	35	6	2			1	1	1224
		54.2	31.4	10.8	2.9	.5	.2			.1	.1	9.5
		10.2	11.8	8.0	4.3	1.6	1.3			2.7	10.0	
21		479	333	164	51	16	5				1	1049
		45.7	31.7	15.6	4.9	1.5	.5				.1	8.1
		7.4	10.3	10.0	6.3	4.2	3.2				10.0	
22		406	252	150	69	22	6	3		2		910
		44.6	27.7	16.5	7.6	2.4	.7	.3		.2		7.1
		6.3	7.8	9.1	8.5	5.7	3.8	4.5		5.4		
(Continued)	Column Total	6483	3242	1646	813	385	156	66	35	37	10	12873
		50.4	25.2	12.8	6.3	3.0	1.2	.5	.3	.3	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
23		255	226	120	75	26	8	7	3	1	1	722
		35.3	31.3	16.6	10.4	3.6	1.1	1.0	.4	.1	.1	5.6
		3.9	7.0	7.3	9.2	6.8	5.1	10.6	8.6	2.7	10.0	
24		216	203	128	79	26	11	3			4	670
		32.2	30.3	19.1	11.8	3.9	1.6	.4			.6	5.2
		3.3	6.3	7.8	9.7	6.8	7.1	4.5			40.0	
25 - 29		448	578	451	248	137	55	18	13	6	2	1956
		22.9	29.6	23.1	12.7	7.0	2.8	.9	.7	.3	.1	15.2
		6.9	17.8	27.4	30.5	35.6	35.3	27.3	37.1	16.2	20.0	
30 - 34		191	271	226	148	90	35	23	8	11		1003
		19.0	27.0	22.5	14.8	9.0	3.5	2.3	.8	1.1		7.8
		2.9	8.4	13.7	18.2	23.4	22.4	34.8	22.9	29.7		
35 - 39		71	114	93	63	46	25	10	7	11		440
		16.1	25.9	21.1	14.3	10.5	5.7	2.3	1.6	2.5		3.4
		1.1	3.5	5.7	7.7	11.9	16.0	15.2	20.0	29.7		
40 - 44		9	12	26	14	7	7	2	4	5		86
		10.5	14.0	30.2	16.3	8.1	8.1	2.3	4.7	5.8		.7
		.1	.4	1.6	1.7	1.8	4.5	3.0	11.4	13.5		
45 AND OVER		1				2						3
		33.3				66.7						.0
		.0				.5						
	Column Total	6483	3242	1646	813	385	156	66	35	37	10	12873
		50.4	25.2	12.8	6.3	3.0	1.2	.5	.3	.3	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 1 WHITE

Page 1 of 1

AGE	BO Count Row Pct Col Pct	1ST	2ND	3RD	4TH	7TH	8TH	NOT STATED	Row Total
19		2 66.7 25.0						1 33.3 33.3	3 12.5
20		1 50.0 12.5	1 50.0 16.7						2 8.3
21		1 33.3 12.5		1 33.3 25.0			1 33.3 100.0		3 12.5
22		1 50.0 12.5	1 50.0 16.7						2 8.3
23			1 100.0 16.7						1 4.2
25 - 29		2 33.3 25.0	2 33.3 33.3	2 33.3 50.0					6 25.0
30 - 34		1 25.0 12.5		1 25.0 25.0	1 25.0 100.0			1 25.0 33.3	4 16.7
35 - 39			1 50.0 16.7			1 50.0 100.0			2 8.3
NOT STATED								1 100.0 33.3	1 4.2
	Column Total	8 33.3	6 25.0	4 16.7	1 4.2	1 4.2	1 4.2	3 12.5	24 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	BO: 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
14	5	1									6
	83.3	16.7									.1
	.2	.0									
15	5	2									7
	71.4	28.6									.1
	.2	.1									
16	11	6	1								18
	61.1	33.3	5.6								.2
	.4	.2	.0								
17	27	12	4								43
	62.8	27.9	9.3								.4
	1.0	.4	.2								
18	63	35	10	3							111
	56.8	31.5	9.0	2.7							1.0
	2.4	1.0	.4	.2							
19	107	62	26	6	1						202
	53.0	30.7	12.9	3.0	.5						1.8
	4.1	1.8	1.1	.4	.2						
20	130	124	70	31	5	3	1	1			365
	35.6	34.0	19.2	8.5	1.4	.8	.3	.3			3.3
	5.0	3.6	2.8	2.3	.8	.9	.6	1.1			
21	154	161	103	41	19	6	2		1		487
	31.6	33.1	21.1	8.4	3.9	1.2	.4		.2		4.4
	5.9	4.7	4.2	3.0	2.9	1.9	1.3		1.3		
22	153	224	112	63	29	7	1	2			591
	25.9	37.9	19.0	10.7	4.9	1.2	.2	.3			5.3
	5.8	6.6	4.5	4.6	4.5	2.2	.6	2.3			
23	157	213	123	75	27	11	6	1		1	614
	25.6	34.7	20.0	12.2	4.4	1.8	1.0	.2		.2	5.5
	6.0	6.2	5.0	5.5	4.2	3.4	3.8	1.1		7.1	
24	212	230	149	79	37	12	10	3	2	1	735
	28.8	31.3	20.3	10.7	5.0	1.6	1.4	.4	.3	.1	6.6
	8.1	6.7	6.0	5.8	5.7	3.7	6.4	3.4	2.5	7.1	
Column Total	2625	3415	2474	1368	648	324	156	88	80	14	11192
	23.5	30.5	22.1	12.2	5.8	2.9	1.4	.8	.7	.1	100.0

(Continued)

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
25 - 29		898 24.5 34.2	1153 31.5 33.8	816 22.3 33.0	413 11.3 30.2	198 5.4 30.6	93 2.5 28.7	45 1.2 28.8	22 .6 25.0	18 .5 22.5	7 .2 50.0	3663 32.7
30 - 34		558 18.8 21.3	851 28.7 24.9	724 24.4 29.3	419 14.1 30.6	193 6.5 29.8	106 3.6 32.7	48 1.6 30.8	29 1.0 33.0	32 1.1 40.0	4 .1 28.6	2964 26.5
35 - 39		125 10.4 4.8	304 25.4 8.9	297 24.8 12.0	201 16.8 14.7	119 9.9 18.4	73 6.1 22.5	34 2.8 21.8	22 1.8 25.0	22 1.8 27.5		1197 10.7
40 - 44		20 11.0 .8	36 19.8 1.1	37 20.3 1.5	35 19.2 2.6	19 10.4 2.9	13 7.1 4.0	9 4.9 5.8	8 4.4 9.1	5 2.7 6.3		182 1.6
45 AND OVER			1 16.7 .0	2 33.3 .1	1 16.7 .1	1 16.7 .2					1 16.7 7.1	6 .1
NOT STATED					1 100.0 .1							1 .0
	Column Total	2625 23.5	3415 30.5	2474 22.1	1368 12.2	648 5.8	324 2.9	156 1.4	88 .8	80 .7	14 .1	11192 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
11	2 100.0 .0										2 .0
12	13 100.0 .2										13 .1
13	52 91.2 .7	4 7.0 .1	1 1.8 .0								57 .3
14	229 95.0 3.0	10 4.1 .2	1 .4 .0							1 .4 5.6	241 1.3
15	502 90.3 6.5	52 9.4 1.1	2 .4 .1								556 2.9
16	785 82.6 10.1	150 15.8 3.0	13 1.4 .4	2 .2 .1							950 5.0
17	1045 73.5 13.5	300 21.1 6.1	59 4.1 1.9	14 1.0 .9	2 .1 .2					2 .1 11.1	1422 7.5
18	1030 62.7 13.3	457 27.8 9.2	125 7.6 4.1	24 1.5 1.5	3 .2 .4	2 .1 .5	1 .1 .5			1 .1 5.6	1643 8.6
19	949 52.1 12.2	577 31.7 11.7	226 12.4 7.4	53 2.9 3.3	13 .7 1.5	3 .2 .7				2 .1 11.1	1823 9.6
20	780 43.1 10.1	586 32.4 11.8	304 16.8 10.0	102 5.6 6.3	26 1.4 3.0	7 .4 1.7	1 .1 .5	3 .2 3.2			1809 9.5
21	567 35.3 7.3	505 31.4 10.2	305 19.0 10.0	151 9.4 9.3	59 3.7 6.9	16 1.0 3.9	3 .2 1.6			1 .1 5.6	1607 8.4
Column Total	7757 40.8	4946 26.0	3037 16.0	1630 8.6	855 4.5	413 2.2	191 1.0	95 .5	88 .5	18 .1	19030 100.0

(Continued)

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
22		427	379	304	180	63	22	5	1		3	1384
		30.9	27.4	22.0	13.0	4.6	1.6	.4	.1		.2	7.3
		5.5	7.7	10.0	11.0	7.4	5.3	2.6	1.1		16.7	
23		303	335	286	179	73	31	12	3		2	1224
		24.8	27.4	23.4	14.6	6.0	2.5	1.0	.2		.2	6.4
		3.9	6.8	9.4	11.0	8.5	7.5	6.3	3.2		11.1	
24		244	308	237	138	86	39	17	4	1	1	1075
		22.7	28.7	22.0	12.8	8.0	3.6	1.6	.4	.1	.1	5.6
		3.1	6.2	7.8	8.5	10.1	9.4	8.9	4.2	1.1	5.6	
25 - 29		519	780	655	443	296	149	65	32	22	2	2963
		17.5	26.3	22.1	15.0	10.0	5.0	2.2	1.1	.7	.1	15.6
		6.7	15.8	21.6	27.2	34.6	36.1	34.0	33.7	25.0	11.1	
30 - 34		220	362	377	235	145	91	49	31	33	3	1546
		14.2	23.4	24.4	15.2	9.4	5.9	3.2	2.0	2.1	.2	8.1
		2.8	7.3	12.4	14.4	17.0	22.0	25.7	32.6	37.5	16.7	
35 - 39		76	123	122	88	73	40	30	15	27		594
		12.8	20.7	20.5	14.8	12.3	6.7	5.1	2.5	4.5		3.1
		1.0	2.5	4.0	5.4	8.5	9.7	15.7	15.8	30.7		
40 - 44		14	16	19	19	15	13	7	6	4		113
		12.4	14.2	16.8	16.8	13.3	11.5	6.2	5.3	3.5		.6
		.2	.3	.6	1.2	1.8	3.1	3.7	6.3	4.5		
45 AND OVER			2			1		1		1		5
			40.0			20.0		20.0		20.0		.0
			.0			.1		.5		1.1		
NOT STATED				1	2							3
				33.3	66.7							.0
				.0	.1							
Column Total		7757	4946	3037	1630	855	413	191	95	88	18	19030
		40.8	26.0	16.0	8.6	4.5	2.2	1.0	.5	.5	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 2 NONWHITE

Page 1 of 1

AGE	BO: 2ND	3RD	5TH	Row Total
22	1 100.0 100.0			1 33.3
23		1 100.0 100.0		1 33.3
24			1 100.0 100.0	1 33.3
Column Total	1 33.3	1 33.3	1 33.3	3 100.0

Number of Missing Observations: 0

AGE OF MOTHER
BY BIRTH ORDER
BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
11		2										2
		100.0										.0
		.0										
12		14										14
		100.0										.0
		.0										
13		75	4	1								80
		93.8	5.0	1.3								.1
		.2	.0	.0								
14		310	16	1							1	328
		94.5	4.9	.3							.3	.3
		.8	.1	.0							.9	
15		816	75	3								894
		91.3	8.4	.3								.9
		2.2	.2	.0								
16		1629	244	21	4	1						1899
		85.8	12.8	1.1	.2	.1						1.9
		4.4	.8	.1	.0	.0						
17		2389	569	110	23	3	1				2	3097
		77.1	18.4	3.6	.7	.1	.0				.1	3.0
		6.5	1.8	.6	.3	.1	.1				1.7	
18		2802	1066	214	43	5	2	1			1	4134
		67.8	25.8	5.2	1.0	.1	.0	.0			.0	4.1
		7.6	3.4	1.2	.5	.1	.1	.1			.9	
19		2948	1462	471	105	22	5				5	5018
		58.7	29.1	9.4	2.1	.4	.1				.1	4.9
		8.0	4.6	2.7	1.3	.6	.3				4.3	
20		2778	1834	742	234	56	15	2	4	2	2	5669
		49.0	32.4	13.1	4.1	1.0	.3	.0	.1	.0	.0	5.6
		7.5	5.8	4.2	2.8	1.5	.9	.3	1.1	.6	1.7	
21		2339	1858	877	334	113	31	6	2	1	2	5563
		42.0	33.4	15.8	6.0	2.0	.6	.1	.0	.0	.0	5.5
		6.3	5.9	4.9	4.0	3.0	1.9	.8	.5	.3	1.7	
(Continued)	Column Total	36992	31485	17756	8342	3761	1643	754	366	341	115	101555
		36.4	31.0	17.5	8.2	3.7	1.6	.7	.4	.3	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
22		2153	1850	984	459	162	50	11	5	3	7	5684
		37.9	32.5	17.3	8.1	2.9	.9	.2	.1	.1	.1	5.6
		5.8	5.9	5.5	5.5	4.3	3.0	1.5	1.4	.9	6.1	
23		1913	1846	1062	497	186	66	28	8	3	7	5616
		34.1	32.9	18.9	8.8	3.3	1.2	.5	.1	.1	.1	5.5
		5.2	5.9	6.0	6.0	4.9	4.0	3.7	2.2	.9	6.1	
24		1986	1986	1111	503	220	71	40	11	6	8	5942
		33.4	33.4	18.7	8.5	3.7	1.2	.7	.2	.1	.1	5.9
		5.4	6.3	6.3	6.0	5.8	4.3	5.3	3.0	1.8	7.0	
25 - 29		8682	8965	5064	2371	1101	487	202	88	64	35	27059
		32.1	33.1	18.7	8.8	4.1	1.8	.7	.3	.2	.1	26.6
		23.5	28.5	28.5	28.4	29.3	29.6	26.8	24.0	18.8	30.4	
30 - 34		4705	7124	4855	2376	1086	488	217	124	108	26	21109
		22.3	33.7	23.0	11.3	5.1	2.3	1.0	.6	.5	.1	20.8
		12.7	22.6	27.3	28.5	28.9	29.7	28.8	33.9	31.7	22.6	
35 - 39		1285	2309	1987	1185	672	334	189	89	111	15	8176
		15.7	28.2	24.3	14.5	8.2	4.1	2.3	1.1	1.4	.2	8.1
		3.5	7.3	11.2	14.2	17.9	20.3	25.1	24.3	32.6	13.0	
40 - 44		160	273	247	200	127	90	56	35	37	2	1227
		13.0	22.2	20.1	16.3	10.4	7.3	4.6	2.9	3.0	.2	1.2
		.4	.9	1.4	2.4	3.4	5.5	7.4	9.6	10.9	1.7	
45 AND OVER		3	4	4	5	7	3	2		6	1	35
		8.6	11.4	11.4	14.3	20.0	8.6	5.7		17.1	2.9	.0
		.0	.0	.0	.1	.2	.2	.3		1.8	.9	
NOT STATED		3		2	3						1	9
		33.3		22.2	33.3						11.1	.0
		.0		.0	.0						.9	
	Column Total	36992	31485	17756	8342	3761	1643	754	366	341	115	101555
		36.4	31.0	17.5	8.2	3.7	1.6	.7	.4	.3	.1	100.0

Number of Missing Observations: 0

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
12		1										1
		100.0										.0
		.0										
13		23										23
		100.0										.0
		.1										
14		76	5									81
		93.8	6.2									.1
		.3	.0									
15		309	21	1								331
		93.4	6.3	.3								.5
		1.2	.1	.0								
16		833	88	7	2	1						931
		89.5	9.5	.8	.2	.1						1.3
		3.1	.4	.1	.0	.0						
17		1317	257	47	9	1	1					1632
		80.7	15.7	2.9	.6	.1	.1					2.3
		4.9	1.1	.4	.2	.0	.1					
18		1709	574	79	16	2						2380
		71.8	24.1	3.3	.7	.1						3.3
		6.4	2.5	.6	.3	.1						
19		1892	823	219	46	8	2				3	2993
		63.2	27.5	7.3	1.5	.3	.1				.1	4.2
		7.1	3.6	1.8	.9	.4	.2				3.6	
20		1868	1124	368	101	25	5			2	2	3495
		53.4	32.2	10.5	2.9	.7	.1			.1	.1	4.9
		7.0	4.9	3.0	1.9	1.1	.6			1.2	2.4	
21		1618	1192	469	142	35	9	1	2		1	3469
		46.6	34.4	13.5	4.1	1.0	.3	.0	.1		.0	4.9
		6.1	5.2	3.8	2.7	1.6	1.0	.2	1.1		1.2	
22		1573	1246	568	216	70	21	5	2	3	4	3708
		42.4	33.6	15.3	5.8	1.9	.6	.1	.1	.1	.1	5.2
		5.9	5.4	4.6	4.0	3.1	2.3	1.2	1.1	1.7	4.8	
(Continued)	Column Total	26610	23123	12244	5344	2257	906	407	183	173	83	71330
		37.3	32.4	17.2	7.5	3.2	1.3	.6	.3	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
23		1453	1298	652	243	86	24	10	4	3	4	3777
		38.5	34.4	17.3	6.4	2.3	.6	.3	.1	.1	.1	5.3
		5.5	5.6	5.3	4.5	3.8	2.6	2.5	2.2	1.7	4.8	
24		1530	1448	725	286	96	20	13	4	3	6	4131
		37.0	35.1	17.6	6.9	2.3	.5	.3	.1	.1	.1	5.8
		5.7	6.3	5.9	5.4	4.3	2.2	3.2	2.2	1.7	7.2	
25 - 29		7265	7032	3593	1515	607	245	92	34	24	26	20433
		35.6	34.4	17.6	7.4	3.0	1.2	.5	.2	.1	.1	28.6
		27.3	30.4	29.3	28.3	26.9	27.0	22.6	18.6	13.9	31.3	
30 - 34		3927	5911	3754	1722	748	291	120	64	43	19	16599
		23.7	35.6	22.6	10.4	4.5	1.8	.7	.4	.3	.1	23.3
		14.8	25.6	30.7	32.2	33.1	32.1	29.5	35.0	24.9	22.9	
35 - 39		1084	1882	1568	896	480	221	125	52	62	15	6385
		17.0	29.5	24.6	14.0	7.5	3.5	2.0	.8	1.0	.2	9.0
		4.1	8.1	12.8	16.8	21.3	24.4	30.7	28.4	35.8	18.1	
40 - 44		126	221	191	146	93	64	40	21	28	2	932
		13.5	23.7	20.5	15.7	10.0	6.9	4.3	2.3	3.0	.2	1.3
		.5	1.0	1.6	2.7	4.1	7.1	9.8	11.5	16.2	2.4	
45 AND OVER		3	1	2	4	5	3	1		5		24
		12.5	4.2	8.3	16.7	20.8	12.5	4.2		20.8		.0
		.0	.0	.0	.1	.2	.3	.2		2.9		
NOT STATED		3		1							1	5
		60.0		20.0							20.0	.0
		.0		.0							1.2	
	Column Total	26610	23123	12244	5344	2257	906	407	183	173	83	71330
		37.3	32.4	17.2	7.5	3.2	1.3	.6	.3	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
11		2										2
		100.0										.0
		.0										
12		13										13
		100.0										.0
		.1										
13		52	4	1								57
		91.2	7.0	1.8								.2
		.5	.0	.0								
14		234	11	1							1	247
		94.7	4.5	.4							.4	.8
		2.3	.1	.0							3.1	
15		507	54	2								563
		90.1	9.6	.4								1.9
		4.9	.6	.0								
16		796	156	14	2							968
		82.2	16.1	1.4	.2							3.2
		7.7	1.9	.3	.1							
17		1072	312	63	14	2					2	1465
		73.2	21.3	4.3	1.0	.1					.1	4.8
		10.3	3.7	1.1	.5	.1					6.3	
18		1093	492	135	27	3	2	1			1	1754
		62.3	28.1	7.7	1.5	.2	.1	.1			.1	5.8
		10.5	5.9	2.4	.9	.2	.3	.3			3.1	
19		1056	639	252	59	14	3				2	2025
		52.1	31.6	12.4	2.9	.7	.1				.1	6.7
		10.2	7.6	4.6	2.0	.9	.4				6.3	
20		910	710	374	133	31	10	2	4			2174
		41.9	32.7	17.2	6.1	1.4	.5	.1	.2			7.2
		8.8	8.5	6.8	4.4	2.1	1.4	.6	2.2			
21		721	666	408	192	78	22	5		1	1	2094
		34.4	31.8	19.5	9.2	3.7	1.1	.2		.0	.0	6.9
		6.9	8.0	7.4	6.4	5.2	3.0	1.4		.6	3.1	
(Continued)	Column Total	10382	8362	5512	2998	1504	737	347	183	168	32	30225
		34.3	27.7	18.2	9.9	5.0	2.4	1.1	.6	.6	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	BO: 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
22	580 29.4 5.6	604 30.6 7.2	416 21.1 7.5	243 12.3 8.1	92 4.7 6.1	29 1.5 3.9	6 .3 1.7	3 .2 1.6		3 .2 9.4	1976 6.5
23	460 25.0 4.4	548 29.8 6.6	410 22.3 7.4	254 13.8 8.5	100 5.4 6.6	42 2.3 5.7	18 1.0 5.2	4 .2 2.2		3 .2 9.4	1839 6.1
24	456 25.2 4.4	538 29.7 6.4	386 21.3 7.0	217 12.0 7.2	124 6.8 8.2	51 2.8 6.9	27 1.5 7.8	7 .4 3.8	3 .2 1.8	2 .1 6.3	1811 6.0
25 - 29	1417 21.4 13.6	1933 29.2 23.1	1471 22.2 26.7	856 12.9 28.6	494 7.5 32.8	242 3.7 32.8	110 1.7 31.7	54 .8 29.5	40 .6 23.8	9 .1 28.1	6626 21.9
30 - 34	778 17.3 7.5	1213 26.9 14.5	1101 24.4 20.0	654 14.5 21.8	338 7.5 22.5	197 4.4 26.7	97 2.2 28.0	60 1.3 32.8	65 1.4 38.7	7 .2 21.9	4510 14.9
35 - 39	201 11.2 1.9	427 23.8 5.1	419 23.4 7.6	289 16.1 9.6	192 10.7 12.8	113 6.3 15.3	64 3.6 18.4	37 2.1 20.2	49 2.7 29.2		1791 5.9
40 - 44	34 11.5 .3	52 17.6 .6	56 19.0 1.0	54 18.3 1.8	34 11.5 2.3	26 8.8 3.5	16 5.4 4.6	14 4.7 7.7	9 3.1 5.4		295 1.0
45 AND OVER		3 27.3 .0	2 18.2 .0	1 9.1 .0	2 18.2 .1		1 9.1 .3		1 9.1 .6	1 9.1 3.1	11 .0
NOT STATED			1 25.0 .0	3 75.0 .1							4 .0
Column Total	10382 34.3	8362 27.7	5512 18.2	2998 9.9	1504 5.0	737 2.4	347 1.1	183 .6	168 .6	32 .1	30225 100.0

Number of Missing Observations: 0

AGE OF MOTHER
BY BIRTH WEIGHT
BY RACE

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
11			1	1		2
			50.0	50.0		.0
			.0	.0		
12			3	11		14
			21.4	78.6		.0
			.0	.0		
13		4	11	65		80
		5.0	13.8	81.3		.1
		.2	.2	.1		
14		15	32	281		328
		4.6	9.8	85.7		.3
		.8	.5	.3		
15		24	85	785		894
		2.7	9.5	87.8		.9
		1.3	1.2	.8		
16		48	195	1653	3	1899
		2.5	10.3	87.0	.2	1.9
		2.6	2.8	1.8	8.1	
17		70	251	2775	1	3097
		2.3	8.1	89.6	.0	3.0
		3.7	3.6	3.0	2.7	
18		107	366	3659	2	4134
		2.6	8.9	88.5	.0	4.1
		5.7	5.3	3.9	5.4	
19		87	399	4531	1	5018
		1.7	8.0	90.3	.0	4.9
		4.6	5.7	4.9	2.7	
20		114	439	5114	2	5669
		2.0	7.7	90.2	.0	5.6
		6.1	6.3	5.5	5.4	
21		105	416	5041	1	5563
		1.9	7.5	90.6	.0	5.5
		5.6	6.0	5.4	2.7	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

AGE	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
22	120	368	5195	1	5684
	2.1	6.5	91.4	.0	5.6
	6.4	5.3	5.6	2.7	
23	112	359	5142	3	5616
	2.0	6.4	91.6	.1	5.5
	6.0	5.2	5.5	8.1	
24	93	378	5467	4	5942
	1.6	6.4	92.0	.1	5.9
	5.0	5.4	5.9	10.8	
25 - 29	410	1590	25053	6	27059
	1.5	5.9	92.6	.0	26.6
	21.9	22.8	27.0	16.2	
30 - 34	338	1335	19430	6	21109
	1.6	6.3	92.0	.0	20.8
	18.0	19.2	21.0	16.2	
35 - 39	183	632	7356	5	8176
	2.2	7.7	90.0	.1	8.1
	9.8	9.1	7.9	13.5	
40 - 44	42	103	1082		1227
	3.4	8.4	88.2		1.2
	2.2	1.5	1.2		
45 AND OVER	3	2	30		35
	8.6	5.7	85.7		.0
	.2	.0	.0		
NOT STATED		1	6	2	9
		11.1	66.7	22.2	.0
		.0	.0	5.4	
Column Total	1875	6966	92677	37	101555
	1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
12				1		1
				100.0		.0
				.0		
13		1	2	20		23
		4.3	8.7	87.0		.0
		.1	.1	.0		
14		8	3	70		81
		9.9	3.7	86.4		.1
		.9	.1	.1		
15		9	22	300		331
		2.7	6.6	90.6		.5
		1.0	.6	.5		
16		18	79	832	2	931
		1.9	8.5	89.4	.2	1.3
		2.0	2.0	1.3	8.7	
17		24	104	1504		1632
		1.5	6.4	92.2		2.3
		2.7	2.6	2.3		
18		34	169	2175	2	2380
		1.4	7.1	91.4	.1	3.3
		3.8	4.3	3.3	8.7	
19		38	194	2760	1	2993
		1.3	6.5	92.2	.0	4.2
		4.2	4.9	4.2	4.3	
20		54	217	3222	2	3495
		1.5	6.2	92.2	.1	4.9
		6.0	5.5	4.8	8.7	
21		38	203	3227	1	3469
		1.1	5.9	93.0	.0	4.9
		4.2	5.1	4.9	4.3	
22		54	197	3456	1	3708
		1.5	5.3	93.2	.0	5.2
		6.0	5.0	5.2	4.3	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

AGE	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
23	47	185	3543	2	3777
	1.2	4.9	93.8	.1	5.3
	5.2	4.7	5.3	8.7	
24	34	216	3879	2	4131
	.8	5.2	93.9	.0	5.8
	3.8	5.4	5.8	8.7	
25 - 29	199	982	19249	3	20433
	1.0	4.8	94.2	.0	28.6
	22.1	24.8	29.0	13.0	
30 - 34	198	908	15491	2	16599
	1.2	5.5	93.3	.0	23.3
	22.0	22.9	23.3	8.7	
35 - 39	112	420	5849	4	6385
	1.8	6.6	91.6	.1	9.0
	12.5	10.6	8.8	17.4	
40 - 44	29	62	841		932
	3.1	6.7	90.2		1.3
	3.2	1.6	1.3		
45 AND OVER	2	1	21		24
	8.3	4.2	87.5		.0
	.2	.0	.0		
NOT STATED		1	3	1	5
		20.0	60.0	20.0	.0
		.0	.0	4.3	
Column Total	899	3965	66443	23	71330
	1.3	5.6	93.1	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

AGE	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
11		1	1		2
		50.0	50.0		.0
		.0	.0		
12		3	10		13
		23.1	76.9		.0
		.1	.0		
13	3	9	45		57
	5.3	15.8	78.9		.2
	.3	.3	.2		
14	7	29	211		247
	2.8	11.7	85.4		.8
	.7	1.0	.8		
15	15	63	485		563
	2.7	11.2	86.1		1.9
	1.5	2.1	1.8		
16	30	116	821	1	968
	3.1	12.0	84.8	.1	3.2
	3.1	3.9	3.1	7.1	
17	46	147	1271	1	1465
	3.1	10.0	86.8	.1	4.8
	4.7	4.9	4.8	7.1	
18	73	197	1484		1754
	4.2	11.2	84.6		5.8
	7.5	6.6	5.7		
19	49	205	1771		2025
	2.4	10.1	87.5		6.7
	5.0	6.8	6.8		
20	60	222	1892		2174
	2.8	10.2	87.0		7.2
	6.1	7.4	7.2		
21	67	213	1814		2094
	3.2	10.2	86.6		6.9
	6.9	7.1	6.9		
Column Total	976	3001	26234	14	30225
	3.2	9.9	86.8	.0	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
	22	66	171	1739		1976
		3.3	8.7	88.0		6.5
		6.8	5.7	6.6		
	23	65	174	1599	1	1839
		3.5	9.5	86.9	.1	6.1
		6.7	5.8	6.1	7.1	
	24	59	162	1588	2	1811
		3.3	8.9	87.7	.1	6.0
		6.0	5.4	6.1	14.3	
25 - 29		211	608	5804	3	6626
		3.2	9.2	87.6	.0	21.9
		21.6	20.3	22.1	21.4	
30 - 34		140	427	3939	4	4510
		3.1	9.5	87.3	.1	14.9
		14.3	14.2	15.0	28.6	
35 - 39		71	212	1507	1	1791
		4.0	11.8	84.1	.1	5.9
		7.3	7.1	5.7	7.1	
40 - 44		13	41	241		295
		4.4	13.9	81.7		1.0
		1.3	1.4	.9		
45 AND OVER		1	1	9		11
		9.1	9.1	81.8		.0
		.1	.0	.0		
NOT STATED				3	1	4
				75.0	25.0	.0
				.0	7.1	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Number of Missing Observations: 0

EDUCATION OF MOTHER
BY BIRTH WEIGHT
BY RACE

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

EDUC	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE OR ELEM.	83 2.0 4.4	347 8.4 5.0	3698 89.5 4.0	2 .0 5.4	4130 4.1
H.S. 1-3 YEARS	376 2.2 20.1	1570 9.1 22.5	15271 88.6 16.5	12 .1 32.4	17229 17.0
H.S. 4 YEARS	725 2.0 38.7	2617 7.4 37.6	32178 90.6 34.7	6 .0 16.2	35526 35.0
COL.1-3 YEARS	415 1.8 22.1	1407 6.1 20.2	21289 92.1 23.0	4 .0 10.8	23115 22.8
COL. 4+ YEARS	264 1.2 14.1	1018 4.8 14.6	20105 94.0 21.7	5 .0 13.5	21392 21.1
NOT STATED	12 7.4 .6	7 4.3 .1	136 83.4 .1	8 4.9 21.6	163 .2
Column Total	1875 1.8	6966 6.9	92677 91.3	37 .0	101555 100.0

Number of Missing Observations: 0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

EDUC	Count / Row Pct / Col Pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE OR ELEM.		51	217	2777	2	3047
		1.7	7.1	91.1	.1	4.3
		5.7	5.5	4.2	8.7	
H.S. 1-3 YEARS		166	742	9275	6	10189
		1.6	7.3	91.0	.1	14.3
		18.5	18.7	14.0	26.1	
H.S. 4 YEARS		301	1415	21616	1	23333
		1.3	6.1	92.6	.0	32.7
		33.5	35.7	32.5	4.3	
COL.1-3 YEARS		189	804	15578	3	16574
		1.1	4.9	94.0	.0	23.2
		21.0	20.3	23.4	13.0	
COL. 4+ YEARS		188	785	17114	3	18090
		1.0	4.3	94.6	.0	25.4
		20.9	19.8	25.8	13.0	
NOT STATED		4	2	83	8	97
		4.1	2.1	85.6	8.2	.1
		.4	.1	.1	34.8	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

EDUC	BW Count Row Pct Col Pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE OR ELEM.		32 3.0 3.3	130 12.0 4.3	921 85.0 3.5		1083 3.6
H.S. 1-3 YEARS		210 3.0 21.5	828 11.8 27.6	5996 85.2 22.9	6 .1 42.9	7040 23.3
H.S. 4 YEARS		424 3.5 43.4	1202 9.9 40.1	10562 86.6 40.3	5 .0 35.7	12193 40.3
COL.1-3 YEARS		226 3.5 23.2	603 9.2 20.1	5711 87.3 21.8	1 .0 7.1	6541 21.6
COL. 4+ YEARS		76 2.3 7.8	233 7.1 7.8	2991 90.6 11.4	2 .1 14.3	3302 10.9
NOT STATED		8 12.1 .8	5 7.6 .2	53 80.3 .2		66 .2
	Column Total	976 3.2	3001 9.9	26234 86.8	14 .0	30225 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY EDUCATION OF MOTHER
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	EDUC NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
NONE		99	334	411	150	45	14	1053
		9.4	31.7	39.0	14.2	4.3	1.3	1.0
		2.4	1.9	1.2	.6	.2	8.6	
FIRST MONTH		350	1859	5797	4776	6117	14	18913
		1.9	9.8	30.7	25.3	32.3	.1	18.6
		8.5	10.8	16.3	20.7	28.6	8.6	
SECOND MONTH		1280	6347	16195	11811	11859	30	47522
		2.7	13.4	34.1	24.9	25.0	.1	46.8
		31.0	36.8	45.6	51.1	55.4	18.4	
THIRD MONTH		882	3716	6962	3820	2494	29	17903
		4.9	20.8	38.9	21.3	13.9	.2	17.6
		21.4	21.6	19.6	16.5	11.7	17.8	
FOURTH MONTH		558	2034	2805	1240	484	18	7139
		7.8	28.5	39.3	17.4	6.8	.3	7.0
		13.5	11.8	7.9	5.4	2.3	11.0	
FIFTH MONTH		347	1334	1533	668	180	10	4072
		8.5	32.8	37.6	16.4	4.4	.2	4.0
		8.4	7.7	4.3	2.9	.8	6.1	
SIXTH MONTH		262	713	856	277	79	11	2198
		11.9	32.4	38.9	12.6	3.6	.5	2.2
		6.3	4.1	2.4	1.2	.4	6.7	
SEVENTH MONTH		172	449	487	189	54	5	1356
		12.7	33.1	35.9	13.9	4.0	.4	1.3
		4.2	2.6	1.4	.8	.3	3.1	
EIGHTH MONTH		101	256	256	77	26	6	722
		14.0	35.5	35.5	10.7	3.6	.8	.7
		2.4	1.5	.7	.3	.1	3.7	
NINTH MONTH		18	61	61	22	9	1	172
		10.5	35.5	35.5	12.8	5.2	.6	.2
		.4	.4	.2	.1	.0	.6	
NOT STATED		61	126	163	85	45	25	505
		12.1	25.0	32.3	16.8	8.9	5.0	.5
		1.5	.7	.5	.4	.2	15.3	
	Column Total	4130	17229	35526	23115	21392	163	101555
		4.1	17.0	35.0	22.8	21.1	.2	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	EDUC NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
NONE		66	97	138	61	26	7	395
		16.7	24.6	34.9	15.4	6.6	1.8	.6
		2.2	1.0	.6	.4	.1	7.2	
FIRST MONTH		266	1181	4175	3687	5343	8	14660
		1.8	8.1	28.5	25.2	36.4	.1	20.6
		8.7	11.6	17.9	22.2	29.5	8.2	
SECOND MONTH		998	4271	11729	9012	10150	17	36177
		2.8	11.8	32.4	24.9	28.1	.0	50.7
		32.8	41.9	50.3	54.4	56.1	17.5	
THIRD MONTH		667	2275	4398	2548	1994	21	11903
		5.6	19.1	36.9	21.4	16.8	.2	16.7
		21.9	22.3	18.8	15.4	11.0	21.6	
FOURTH MONTH		385	1061	1440	666	336	10	3898
		9.9	27.2	36.9	17.1	8.6	.3	5.5
		12.6	10.4	6.2	4.0	1.9	10.3	
FIFTH MONTH		233	624	659	299	110	4	1929
		12.1	32.3	34.2	15.5	5.7	.2	2.7
		7.6	6.1	2.8	1.8	.6	4.1	
SIXTH MONTH		168	308	354	120	45	8	1003
		16.7	30.7	35.3	12.0	4.5	.8	1.4
		5.5	3.0	1.5	.7	.2	8.2	
SEVENTH MONTH		129	185	230	84	32	3	663
		19.5	27.9	34.7	12.7	4.8	.5	.9
		4.2	1.8	1.0	.5	.2	3.1	
EIGHTH MONTH		72	103	102	32	15	3	327
		22.0	31.5	31.2	9.8	4.6	.9	.5
		2.4	1.0	.4	.2	.1	3.1	
NINTH MONTH		12	23	23	12	6	1	77
		15.6	29.9	29.9	15.6	7.8	1.3	.1
		.4	.2	.1	.1	.0	1.0	
NOT STATED		51	61	85	53	33	15	298
		17.1	20.5	28.5	17.8	11.1	5.0	.4
		1.7	.6	.4	.3	.2	15.5	
	Column Total	3047	10189	23333	16574	18090	97	71330
		4.3	14.3	32.7	23.2	25.4	.1	100.0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	EDUC: NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
NONE	33 5.0 3.0	237 36.0 3.4	273 41.5 2.2	89 13.5 1.4	19 2.9 .6	7 1.1 10.6	658 2.2
FIRST MONTH	84 2.0 7.8	678 15.9 9.6	1622 38.1 13.3	1089 25.6 16.6	774 18.2 23.4	6 .1 9.1	4253 14.1
SECOND MONTH	282 2.5 26.0	2076 18.3 29.5	4466 39.4 36.6	2799 24.7 42.8	1709 15.1 51.8	13 .1 19.7	11345 37.5
THIRD MONTH	215 3.6 19.9	1441 24.0 20.5	2564 42.7 21.0	1272 21.2 19.4	500 8.3 15.1	8 .1 12.1	6000 19.9
FOURTH MONTH	173 5.3 16.0	973 30.0 13.8	1365 42.1 11.2	574 17.7 8.8	148 4.6 4.5	8 .2 12.1	3241 10.7
FIFTH MONTH	114 5.3 10.5	710 33.1 10.1	874 40.8 7.2	369 17.2 5.6	70 3.3 2.1	6 .3 9.1	2143 7.1
SIXTH MONTH	94 7.9 8.7	405 33.9 5.8	502 42.0 4.1	157 13.1 2.4	34 2.8 1.0	3 .3 4.5	1195 4.0
SEVENTH MONTH	43 6.2 4.0	264 38.1 3.8	257 37.1 2.1	105 15.2 1.6	22 3.2 .7	2 .3 3.0	693 2.3
EIGHTH MONTH	29 7.3 2.7	153 38.7 2.2	154 39.0 1.3	45 11.4 .7	11 2.8 .3	3 .8 4.5	395 1.3
NINTH MONTH	6 6.3 .6	38 40.0 .5	38 40.0 .3	10 10.5 .2	3 3.2 .1		95 .3
NOT STATED	10 4.8 .9	65 31.4 .9	78 37.7 .6	32 15.5 .5	12 5.8 .4	10 4.8 15.2	207 .7
Column Total	1083 3.6	7040 23.3	12193 40.3	6541 21.6	3302 10.9	66 .2	30225 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY AGE OF MOTHER
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE			7 .7 8.8	8 .8 2.4	21 2.0 2.3	29 2.8 1.5	53 5.0 1.7	64 6.1 1.5	68 6.5 1.4	77 7.3 1.4	64 6.1 1.2	1053 1.0
FIRST MONTH			3 .0 3.8	27 .1 8.2	68 .4 7.6	146 .8 7.7	265 1.4 8.6	437 2.3 10.6	570 3.0 11.4	720 3.8 12.7	733 3.9 13.2	18913 18.6
SECOND MONTH	1 .0 50.0	4 .0 28.6	12 .0 15.0	76 .2 23.2	246 .5 27.5	612 1.3 32.2	1090 2.3 35.2	1512 3.2 36.6	1898 4.0 37.8	2246 4.7 39.6	2401 5.1 43.2	47522 46.8
THIRD MONTH		2 .0 14.3	15 .1 18.8	58 .3 17.7	209 1.2 23.4	453 2.5 23.9	719 4.0 23.2	937 5.2 22.7	1150 6.4 22.9	1211 6.8 21.4	1109 6.2 19.9	17903 17.6
FOURTH MONTH		5 .1 35.7	18 .3 22.5	45 .6 13.7	138 1.9 15.4	235 3.3 12.4	411 5.8 13.3	509 7.1 12.3	564 7.9 11.2	626 8.8 11.0	507 7.1 9.1	7139 7.0
FIFTH MONTH		1 .0 7.1	5 .1 6.3	44 1.1 13.4	88 2.2 9.8	176 4.3 9.3	274 6.7 8.8	304 7.5 7.4	363 8.9 7.2	378 9.3 6.7	358 8.8 6.4	4072 4.0
SIXTH MONTH		1 .0 7.1	9 .4 11.3	39 1.8 11.9	55 2.5 6.2	114 5.2 6.0	134 6.1 4.3	170 7.7 4.1	178 8.1 3.5	181 8.2 3.2	174 7.9 3.1	2198 2.2
SEVENTH MONTH			6 .4 7.5	15 1.1 4.6	37 2.7 4.1	70 5.2 3.7	68 5.0 2.2	92 6.8 2.2	132 9.7 2.6	106 7.8 1.9	109 8.0 2.0	1356 1.3
EIGHTH MONTH	1 .1 50.0	1 .1 7.1	4 .6 5.0	10 1.4 3.0	23 3.2 2.6	44 6.1 2.3	45 6.2 1.5	56 7.8 1.4	46 6.4 .9	63 8.7 1.1	72 10.0 1.3	722 .7
NINTH MONTH					4 2.3 .4	6 3.5 .3	14 8.1 .5	13 7.6 .3	13 7.6 .3	23 13.4 .4	12 7.0 .2	172 .2
NOT STATED			1 .2 1.3	6 1.2 1.8	5 1.0 .6	14 2.8 .7	24 4.8 .8	40 7.9 1.0	36 7.1 .7	38 7.5 .7	24 4.8 .4	505 .5
Column Total	2 .0	14 .0	80 .1	328 .3	894 .9	1899 1.9	3097 3.0	4134 4.1	5018 4.9	5669 5.6	5563 5.5	101555 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB (Count / Row Pct / Col Pct)	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	66 6.3 1.2	74 7.0 1.3	63 6.0 1.1	202 19.2 .7	158 15.0 .7	84 8.0 1.0	14 1.3 1.1	1 .1 2.9		1053 1.0
FIRST MONTH	850 4.5 15.0	937 5.0 16.7	1033 5.5 17.4	5797 30.7 21.4	5117 27.1 24.2	1921 10.2 23.5	278 1.5 22.7	8 .0 22.9	3 .0 33.3	18913 18.6
SECOND MONTH	2530 5.3 44.5	2509 5.3 44.7	2815 5.9 47.4	13731 28.9 50.7	10994 23.1 52.1	4248 8.9 52.0	583 1.2 47.5	11 .0 31.4	3 .0 33.3	47522 46.8
THIRD MONTH	1153 6.4 20.3	1094 6.1 19.5	1089 6.1 18.3	4268 23.8 15.8	3045 17.0 14.4	1178 6.6 14.4	207 1.2 16.9	6 .0 17.1		17903 17.6
FOURTH MONTH	472 6.6 8.3	450 6.3 8.0	406 5.7 6.8	1461 20.5 5.4	861 12.1 4.1	364 5.1 4.5	65 .9 5.3	1 .0 2.9	1 .0 11.1	7139 7.0
FIFTH MONTH	257 6.3 4.5	244 6.0 4.3	246 6.0 4.1	723 17.8 2.7	411 10.1 1.9	165 4.1 2.0	31 .8 2.5	4 .1 11.4		4072 4.0
SIXTH MONTH	164 7.5 2.9	147 6.7 2.6	131 6.0 2.2	380 17.3 1.4	217 9.9 1.0	80 3.6 1.0	22 1.0 1.8	2 .1 5.7		2198 2.2
SEVENTH MONTH	98 7.2 1.7	81 6.0 1.4	80 5.9 1.3	242 17.8 .9	140 10.3 .7	70 5.2 .9	9 .7 .7		1 .1 11.1	1356 1.3
EIGHTH MONTH	56 7.8 1.0	40 5.5 .7	35 4.8 .6	117 16.2 .4	73 10.1 .3	25 3.5 .3	9 1.2 .7	2 .3 5.7		722 .7
NINTH MONTH	9 5.2 .2	12 7.0 .2	9 5.2 .2	29 16.9 .1	20 11.6 .1	5 2.9 .1	3 1.7 .2			172 .2
NOT STATED	29 5.7 .5	28 5.5 .5	35 6.9 .6	109 21.6 .4	73 14.5 .3	36 7.1 .4	6 1.2 .5		1 .2 11.1	505 .5
Column Total	5684 5.6	5616 5.5	5942 5.9	27059 26.6	21109 20.8	8176 8.1	1227 1.2	35 .0	9 .0	101555 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE		2 .5 8.7	2 .5 2.5	10 2.5 3.0	10 2.5 1.1	17 4.3 1.0	31 7.8 1.3	24 6.1 .8	26 6.6 .7	22 5.6 .6	20 5.1 .5	395 .6
FIRST MONTH			6 .0 7.4	24 .2 7.3	75 .5 8.1	150 1.0 9.2	286 2.0 12.0	355 2.4 11.9	455 3.1 13.0	475 3.2 13.7	567 3.9 15.3	14660 20.6
SECOND MONTH	1 .0 100.0	4 .0 17.4	26 .1 32.1	120 .3 36.3	335 .9 36.0	662 1.8 40.6	956 2.6 40.2	1235 3.4 41.3	1512 4.2 43.3	1628 4.5 46.9	1798 5.0 48.5	36177 50.7
THIRD MONTH		3 .0 13.0	14 .1 17.3	82 .7 24.8	225 1.9 24.2	399 3.4 24.4	564 4.7 23.7	724 6.1 24.2	771 6.5 22.1	727 6.1 21.0	742 6.2 20.0	11903 16.7
FOURTH MONTH		10 .3 43.5	7 .2 8.6	34 .9 10.3	106 2.7 11.4	185 4.7 11.3	251 6.4 10.5	291 7.5 9.7	353 9.1 10.1	264 6.8 7.6	282 7.2 7.6	3898 5.5
FIFTH MONTH			7 .4 8.6	25 1.3 7.6	72 3.7 7.7	104 5.4 6.4	146 7.6 6.1	171 8.9 5.7	183 9.5 5.2	162 8.4 4.7	130 6.7 3.5	1929 2.7
SIXTH MONTH		2 .2 8.7	12 1.2 14.8	12 1.2 3.6	39 3.9 4.2	57 5.7 3.5	59 5.9 2.5	89 8.9 3.0	81 8.1 2.3	83 8.3 2.4	82 8.2 2.2	1003 1.4
SEVENTH MONTH		1 .2 4.3	3 .5 3.7	13 2.0 3.9	35 5.3 3.8	26 3.9 1.6	32 4.8 1.3	65 9.8 2.2	56 8.4 1.6	54 8.1 1.6	46 6.9 1.2	663 .9
EIGHTH MONTH		1 .3 4.3	3 .9 3.7	8 2.4 2.4	26 8.0 2.8	17 5.2 1.0	25 7.6 1.1	13 4.0 .4	27 8.3 .8	32 9.8 .9	23 7.0 .6	327 .5
NINTH MONTH				2 2.6 .6	3 3.9 .3	5 6.5 .3	7 9.1 .3	4 5.2 .1	8 10.4 .2	4 5.2 .1	3 3.9 .1	77 .1
NOT STATED			1 .3 1.2	1 .3 .3	5 1.7 .5	10 3.4 .6	23 7.7 1.0	22 7.4 .7	23 7.7 .7	18 6.0 .5	15 5.0 .4	298 .4
Column Total	1 .0	23 .0	81 .1	331 .5	931 1.3	1632 2.3	2380 3.3	2993 4.2	3495 4.9	3469 4.9	3708 5.2	71330 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

MPCB	AGE: 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	30 7.6 .8	19 4.8 .5	84 21.3 .4	53 13.4 .3	37 9.4 .6	7 1.8 .8	1 .3 4.2		395 .6
FIRST MONTH	672 4.6 17.8	758 5.2 18.3	4727 32.2 23.1	4274 29.2 25.7	1602 10.9 25.1	225 1.5 24.1	8 .1 33.3	1 .0 20.0	14660 20.6
SECOND MONTH	1860 5.1 49.2	2081 5.8 50.4	10915 30.2 53.4	9084 25.1 54.7	3481 9.6 54.5	469 1.3 50.3	8 .0 33.3	2 .0 40.0	36177 50.7
THIRD MONTH	699 5.9 18.5	766 6.4 18.5	2978 25.0 14.6	2205 18.5 13.3	851 7.1 13.3	150 1.3 16.1	3 .0 12.5		11903 16.7
FOURTH MONTH	241 6.2 6.4	217 5.6 5.3	882 22.6 4.3	513 13.2 3.1	220 5.6 3.4	41 1.1 4.4		1 .0 20.0	3898 5.5
FIFTH MONTH	114 5.9 3.0	135 7.0 3.3	374 19.4 1.8	212 11.0 1.3	75 3.9 1.2	16 .8 1.7	3 .2 12.5		1929 2.7
SIXTH MONTH	80 8.0 2.1	65 6.5 1.6	185 18.4 .9	100 10.0 .6	45 4.5 .7	12 1.2 1.3			1003 1.4
SEVENTH MONTH	36 5.4 1.0	51 7.7 1.2	135 20.4 .7	68 10.3 .4	39 5.9 .6	3 .5 .3			663 .9
EIGHTH MONTH	21 6.4 .6	15 4.6 .4	67 20.5 .3	31 9.5 .2	11 3.4 .2	6 1.8 .6	1 .3 4.2		327 .5
NINTH MONTH	6 7.8 .2	5 6.5 .1	16 20.8 .1	12 15.6 .1	1 1.3 .0	1 1.3 .1			77 .1
NOT STATED	18 6.0 .5	19 6.4 .5	70 23.5 .3	47 15.8 .3	23 7.7 .4	2 .7 .2		1 .3 20.0	298 .4
Column Total	3777 5.3	4131 5.8	20433 28.6	16599 23.3	6385 9.0	932 1.3	24 .0	5 .0	71330 100.0

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE			5 .8 8.8	6 .9 2.4	11 1.7 2.0	19 2.9 2.0	36 5.5 2.5	33 5.0 1.9	44 6.7 2.2	51 7.8 2.3	42 6.4 2.0	658 2.2
FIRST MONTH			3 .1 5.3	21 .5 8.5	44 1.0 7.8	71 1.7 7.3	115 2.7 7.8	151 3.6 8.6	215 5.1 10.6	265 6.2 12.2	258 6.1 12.3	4253 14.1
SECOND MONTH	1 .0 50.0	3 .0 23.1	8 .1 14.0	50 .4 20.2	126 1.1 22.4	277 2.4 28.6	428 3.8 29.2	556 4.9 31.7	663 5.8 32.7	734 6.5 33.8	773 6.8 36.9	11345 37.5
THIRD MONTH		2 .0 15.4	12 .2 21.1	44 .7 17.8	127 2.1 22.6	228 3.8 23.6	320 5.3 21.8	373 6.2 21.3	426 7.1 21.0	440 7.3 20.2	382 6.4 18.2	6000 19.9
FOURTH MONTH		5 .2 38.5	8 .2 14.0	38 1.2 15.4	104 3.2 18.5	129 4.0 13.3	226 7.0 15.4	258 8.0 14.7	273 8.4 13.5	273 8.4 12.6	243 7.5 11.6	3241 10.7
FIFTH MONTH		1 .0 7.7	5 .2 8.8	37 1.7 15.0	63 2.9 11.2	104 4.9 10.7	170 7.9 11.6	158 7.4 9.0	192 9.0 9.5	195 9.1 9.0	196 9.1 9.4	2143 7.1
SIXTH MONTH		1 .1 7.7	7 .6 12.3	27 2.3 10.9	43 3.6 7.6	75 6.3 7.7	77 6.4 5.3	111 9.3 6.3	89 7.4 4.4	100 8.4 4.6	91 7.6 4.3	1195 4.0
SEVENTH MONTH			5 .7 8.8	12 1.7 4.9	24 3.5 4.3	35 5.1 3.6	42 6.1 2.9	60 8.7 3.4	67 9.7 3.3	50 7.2 2.3	55 7.9 2.6	693 2.3
EIGHTH MONTH	1 .3 50.0	1 .3 7.7	3 .8 5.3	7 1.8 2.8	15 3.8 2.7	18 4.6 1.9	28 7.1 1.9	31 7.8 1.8	33 8.4 1.6	36 9.1 1.7	40 10.1 1.9	395 1.3
NINTH MONTH					2 2.1 .4	3 3.2 .3	9 9.5 .6	6 6.3 .3	9 9.5 .4	15 15.8 .7	8 8.4 .4	95 .3
NOT STATED			1 .5 1.8	5 2.4 2.0	4 1.9 .7	9 4.3 .9	14 6.8 1.0	17 8.2 1.0	14 6.8 .7	15 7.2 .7	6 2.9 .3	207 .7
Column Total	2 .0	13 .0	57 .2	247 .8	563 1.9	968 3.2	1465 4.8	1754 5.8	2025 6.7	2174 7.2	2094 6.9	30225 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

MPCB	AGE: 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	46 7.0 2.3	44 6.7 2.4	44 6.7 2.4	118 17.9 1.8	105 16.0 2.3	47 7.1 2.6	7 1.1 2.4			658 2.2
FIRST MONTH	283 6.7 14.3	265 6.2 14.4	275 6.5 15.2	1070 25.2 16.1	843 19.8 18.7	319 7.5 17.8	53 1.2 18.0		2 .0 50.0	4253 14.1
SECOND MONTH	732 6.5 37.0	649 5.7 35.3	734 6.5 40.5	2816 24.8 42.5	1910 16.8 42.4	767 6.8 42.8	114 1.0 38.6	3 .0 27.3	1 .0 25.0	11345 37.5
THIRD MONTH	411 6.8 20.8	395 6.6 21.5	323 5.4 17.8	1290 21.5 19.5	840 14.0 18.6	327 5.4 18.3	57 .9 19.3	3 .0 27.3		6000 19.9
FOURTH MONTH	190 5.9 9.6	209 6.4 11.4	189 5.8 10.4	579 17.9 8.7	348 10.7 7.7	144 4.4 8.0	24 .7 8.1	1 .0 9.1		3241 10.7
FIFTH MONTH	127 5.9 6.4	130 6.1 7.1	111 5.2 6.1	349 16.3 5.3	199 9.3 4.4	90 4.2 5.0	15 .7 5.1	1 .0 9.1		2143 7.1
SIXTH MONTH	82 6.9 4.1	67 5.6 3.6	66 5.5 3.6	195 16.3 2.9	117 9.8 2.6	35 2.9 2.0	10 .8 3.4	2 .2 18.2		1195 4.0
SEVENTH MONTH	52 7.5 2.6	45 6.5 2.4	29 4.2 1.6	107 15.4 1.6	72 10.4 1.6	31 4.5 1.7	6 .9 2.0		1 .1 25.0	693 2.3
EIGHTH MONTH	33 8.4 1.7	19 4.8 1.0	20 5.1 1.1	50 12.7 .8	42 10.6 .9	14 3.5 .8	3 .8 1.0	1 .3 9.1		395 1.3
NINTH MONTH	6 6.3 .3	6 6.3 .3	4 4.2 .2	13 13.7 .2	8 8.4 .2	4 4.2 .2	2 2.1 .7			95 .3
NOT STATED	14 6.8 .7	10 4.8 .5	16 7.7 .9	39 18.8 .6	26 12.6 .6	13 6.3 .7	4 1.9 1.4			207 .7
Column Total	1976 6.5	1839 6.1	1811 6.0	6626 21.9	4510 14.9	1791 5.9	295 1.0	11 .0	4 .0	30225 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY MARITAL STATUS
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	STATUS: MARRIED	NOT MARRIED	NOT STATED	Row Total
NONE	271	782		1053
	25.7	74.3		1.0
	.4	2.5		
FIRST MONTH	15459	3451	3	18913
	81.7	18.2	.0	18.6
	22.2	10.8	11.1	
SECOND MONTH	36081	11428	13	47522
	75.9	24.0	.0	46.8
	51.8	35.8	48.1	
THIRD MONTH	11188	6711	4	17903
	62.5	37.5	.0	17.6
	16.1	21.0	14.8	
FOURTH MONTH	3333	3805	1	7139
	46.7	53.3	.0	7.0
	4.8	11.9	3.7	
FIFTH MONTH	1547	2525		4072
	38.0	62.0		4.0
	2.2	7.9		
SIXTH MONTH	774	1423	1	2198
	35.2	64.7	.0	2.2
	1.1	4.5	3.7	
SEVENTH MONTH	442	914		1356
	32.6	67.4		1.3
	.6	2.9		
EIGHTH MONTH	221	500	1	722
	30.6	69.3	.1	.7
	.3	1.6	3.7	
NINTH MONTH	54	118		172
	31.4	68.6		.2
	.1	.4		
NOT STATED	255	246	4	505
	50.5	48.7	.8	.5
	.4	.8	14.8	
Column Total	69625	31903	27	101555
	68.6	31.4	.0	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	STATUS: MARRIED	NOT MARRIED	NOT STATED	Row Total
NONE	172 43.5 .3	223 56.5 1.7		395 .6
FIRST MONTH	13268 90.5 22.7	1389 9.5 10.8	3 .0 12.5	14660 20.6
SECOND MONTH	31005 85.7 53.1	5161 14.3 40.1	11 .0 45.8	36177 50.7
THIRD MONTH	9115 76.6 15.6	2785 23.4 21.6	3 .0 12.5	11903 16.7
FOURTH MONTH	2523 64.7 4.3	1374 35.2 10.7	1 .0 4.2	3898 5.5
FIFTH MONTH	1099 57.0 1.9	830 43.0 6.4		1929 2.7
SIXTH MONTH	532 53.0 .9	470 46.9 3.7	1 .1 4.2	1003 1.4
SEVENTH MONTH	318 48.0 .5	345 52.0 2.7		663 .9
EIGHTH MONTH	166 50.8 .3	160 48.9 1.2	1 .3 4.2	327 .5
NINTH MONTH	42 54.5 .1	35 45.5 .3		77 .1
NOT STATED	193 64.8 .3	101 33.9 .8	4 1.3 16.7	298 .4
Column Total	58433 81.9	12873 18.0	24 .0	71330 100.0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

STATUS

Page 1 of 1

MPCB	MARRIED	NOT MARRIED	NOT STATED	Row Total
NONE	99 15.0 .9	559 85.0 2.9		658 2.2
FIRST MONTH	2191 51.5 19.6	2062 48.5 10.8		4253 14.1
SECOND MONTH	5076 44.7 45.4	6267 55.2 32.9	2 .0 66.7	11345 37.5
THIRD MONTH	2073 34.5 18.5	3926 65.4 20.6	1 .0 33.3	6000 19.9
FOURTH MONTH	810 25.0 7.2	2431 75.0 12.8		3241 10.7
FIFTH MONTH	448 20.9 4.0	1695 79.1 8.9		2143 7.1
SIXTH MONTH	242 20.3 2.2	953 79.7 5.0		1195 4.0
SEVENTH MONTH	124 17.9 1.1	569 82.1 3.0		693 2.3
EIGHTH MONTH	55 13.9 .5	340 86.1 1.8		395 1.3
NINTH MONTH	12 12.6 .1	83 87.4 .4		95 .3
NOT STATED	62 30.0 .6	145 70.0 .8		207 .7
Column Total	11192 37.0	19030 63.0	3 .0	30225 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY BIRTH ORDER
BY RACE

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

MPCB (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE	248 23.6 .7	234 22.2 .7	192 18.2 1.1	156 14.8 1.9	89 8.5 2.4	52 4.9 3.2	33 3.1 4.4	20 1.9 5.5	24 2.3 7.0	5 .5 4.3	1053 1.0
FIRST MONTH	6793 35.9 18.4	6316 33.4 20.1	3275 17.3 18.4	1450 7.7 17.4	604 3.2 16.1	259 1.4 15.8	109 .6 14.5	48 .3 13.1	50 .3 14.7	9 .0 7.8	18913 18.6
SECOND MONTH	17707 37.3 47.9	15315 32.2 48.6	8205 17.3 46.2	3620 7.6 43.4	1521 3.2 40.4	598 1.3 36.4	283 .6 37.5	125 .3 34.2	108 .2 31.7	40 .1 34.8	47522 46.8
THIRD MONTH	6673 37.3 18.0	5317 29.7 16.9	3154 17.6 17.8	1492 8.3 17.9	698 3.9 18.6	312 1.7 19.0	123 .7 16.3	59 .3 16.1	55 .3 16.1	20 .1 17.4	17903 17.6
FOURTH MONTH	2512 35.2 6.8	1983 27.8 6.3	1280 17.9 7.2	698 9.8 8.4	340 4.8 9.0	159 2.2 9.7	79 1.1 10.5	38 .5 10.4	41 .6 12.0	9 .1 7.8	7139 7.0
FIFTH MONTH	1428 35.1 3.9	1080 26.5 3.4	756 18.6 4.3	388 9.5 4.7	200 4.9 5.3	107 2.6 6.5	58 1.4 7.7	27 .7 7.4	24 .6 7.0	4 .1 3.5	4072 4.0
SIXTH MONTH	754 34.3 2.0	543 24.7 1.7	401 18.2 2.3	249 11.3 3.0	126 5.7 3.4	63 2.9 3.8	27 1.2 3.6	15 .7 4.1	17 .8 5.0	3 .1 2.6	2198 2.2
SEVENTH MONTH	409 30.2 1.1	357 26.3 1.1	251 18.5 1.4	142 10.5 1.7	95 7.0 2.5	52 3.8 3.2	20 1.5 2.7	18 1.3 4.9	10 .7 2.9	2 .1 1.7	1356 1.3
EIGHTH MONTH	235 32.5 .6	183 25.3 .6	121 16.8 .7	87 12.0 1.0	44 6.1 1.2	24 3.3 1.5	11 1.5 1.5	7 1.0 1.9	10 1.4 2.9		722 .7
NINTH MONTH	57 33.1 .2	41 23.8 .1	36 20.9 .2	19 11.0 .2	11 6.4 .3	4 2.3 .2	2 1.2 .3	2 1.2 .5			172 .2
NOT STATED	176 34.9 .5	116 23.0 .4	85 16.8 .5	41 8.1 .5	33 6.5 .9	13 2.6 .8	9 1.8 1.2	7 1.4 1.9	2 .4 .6	23 4.6 20.0	505 .5
Column Total	36992 36.4	31485 31.0	17756 17.5	8342 8.2	3761 3.7	1643 1.6	754 .7	366 .4	341 .3	115 .1	101555 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

MPCB	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE	131 33.2 .5	95 24.1 .4	63 15.9 .5	55 13.9 1.0	20 5.1 .9	12 3.0 1.3	7 1.8 1.7	5 1.3 2.7	6 1.5 3.5	1 .3 1.2	395 .6
FIRST MONTH	5425 37.0 20.4	5033 34.3 21.8	2461 16.8 20.1	1030 7.0 19.3	417 2.8 18.5	168 1.1 18.5	62 .4 15.2	34 .2 18.6	23 .2 13.3	7 .0 8.4	14660 20.6
SECOND MONTH	13644 37.7 51.3	12016 33.2 52.0	6161 17.0 50.3	2585 7.1 48.4	1030 2.8 45.6	389 1.1 42.9	178 .5 43.7	75 .2 41.0	66 .2 38.2	33 .1 39.8	36177 50.7
THIRD MONTH	4480 37.6 16.8	3714 31.2 16.1	2050 17.2 16.7	943 7.9 17.6	401 3.4 17.8	168 1.4 18.5	73 .6 17.9	29 .2 15.8	29 .2 16.8	16 .1 19.3	11903 16.7
FOURTH MONTH	1393 35.7 5.2	1092 28.0 4.7	732 18.8 6.0	343 8.8 6.4	173 4.4 7.7	73 1.9 8.1	42 1.1 10.3	17 .4 9.3	26 .7 15.0	7 .2 8.4	3898 5.5
FIFTH MONTH	702 36.4 2.6	542 28.1 2.3	354 18.4 2.9	159 8.2 3.0	83 4.3 3.7	43 2.2 4.7	26 1.3 6.4	8 .4 4.4	10 .5 5.8	2 .1 2.4	1929 2.7
SIXTH MONTH	371 37.0 1.4	254 25.3 1.1	183 18.2 1.5	103 10.3 1.9	48 4.8 2.1	21 2.1 2.3	11 1.1 2.7	6 .6 3.3	5 .5 2.9	1 .1 1.2	1003 1.4
SEVENTH MONTH	218 32.9 .8	187 28.2 .8	116 17.5 .9	69 10.4 1.3	46 6.9 2.0	14 2.1 1.5	3 .5 .7	6 .9 3.3	3 .5 1.7	1 .2 1.2	663 .9
EIGHTH MONTH	113 34.6 .4	95 29.1 .4	52 15.9 .4	29 8.9 .5	22 6.7 1.0	10 3.1 1.1	2 .6 .5		4 1.2 2.3		327 .5
NINTH MONTH	25 32.5 .1	18 23.4 .1	24 31.2 .2	5 6.5 .1	4 5.2 .2	1 1.3 .1					77 .1
NOT STATED	108 36.2 .4	77 25.8 .3	48 16.1 .4	23 7.7 .4	13 4.4 .6	7 2.3 .8	3 1.0 .7	3 1.0 1.6	1 .3 .6	15 5.0 18.1	298 .4
Column Total	26610 37.3	23123 32.4	12244 17.2	5344 7.5	2257 3.2	906 1.3	407 .6	183 .3	173 .2	83 .1	71330 100.0

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE	117 17.8 1.1	139 21.1 1.7	129 19.6 2.3	101 15.3 3.4	69 10.5 4.6	40 6.1 5.4	26 4.0 7.5	15 2.3 8.2	18 2.7 10.7	4 .6 12.5	658 2.2
FIRST MONTH	1368 32.2 13.2	1283 30.2 15.3	814 19.1 14.8	420 9.9 14.0	187 4.4 12.4	91 2.1 12.3	47 1.1 13.5	14 .3 7.7	27 .6 16.1	2 .0 6.3	4253 14.1
SECOND MONTH	4063 35.8 39.1	3299 29.1 39.5	2044 18.0 37.1	1035 9.1 34.5	491 4.3 32.6	209 1.8 28.4	105 .9 30.3	50 .4 27.3	42 .4 25.0	7 .1 21.9	11345 37.5
THIRD MONTH	2193 36.5 21.1	1603 26.7 19.2	1104 18.4 20.0	549 9.1 18.3	297 4.9 19.7	144 2.4 19.5	50 .8 14.4	30 .5 16.4	26 .4 15.5	4 .1 12.5	6000 19.9
FOURTH MONTH	1119 34.5 10.8	891 27.5 10.7	548 16.9 9.9	355 11.0 11.8	167 5.2 11.1	86 2.7 11.7	37 1.1 10.7	21 .6 11.5	15 .5 8.9	2 .1 6.3	3241 10.7
FIFTH MONTH	726 33.9 7.0	538 25.1 6.4	402 18.8 7.3	229 10.7 7.6	117 5.5 7.8	64 3.0 8.7	32 1.5 9.2	19 .9 10.4	14 .7 8.3	2 .1 6.3	2143 7.1
SIXTH MONTH	383 32.1 3.7	289 24.2 3.5	218 18.2 4.0	146 12.2 4.9	78 6.5 5.2	42 3.5 5.7	16 1.3 4.6	9 .8 4.9	12 1.0 7.1	2 .2 6.3	1195 4.0
SEVENTH MONTH	191 27.6 1.8	170 24.5 2.0	135 19.5 2.4	73 10.5 2.4	49 7.1 3.3	38 5.5 5.2	17 2.5 4.9	12 1.7 6.6	7 1.0 4.2	1 .1 3.1	693 2.3
EIGHTH MONTH	122 30.9 1.2	88 22.3 1.1	69 17.5 1.3	58 14.7 1.9	22 5.6 1.5	14 3.5 1.9	9 2.3 2.6	7 1.8 3.8	6 1.5 3.6		395 1.3
NINTH MONTH	32 33.7 .3	23 24.2 .3	12 12.6 .2	14 14.7 .5	7 7.4 .5	3 3.2 .4	2 2.1 .6	2 2.1 1.1			95 .3
NOT STATED	68 32.9 .7	39 18.8 .5	37 17.9 .7	18 8.7 .6	20 9.7 1.3	6 2.9 .8	6 2.9 1.7	4 1.9 2.2	1 .5 .6	8 3.9 25.0	207 .7
Column Total	10382 34.3	8362 27.7	5512 18.2	2998 9.9	1504 5.0	737 2.4	347 1.1	183 .6	168 .6	32 .1	30225 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY BIRTH WEIGHT
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	BW Count Row Pct Col Pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		116 11.0 6.2	198 18.8 2.8	736 69.9 .8	3 .3 8.1	1053 1.0
FIRST MONTH		422 2.2 22.5	1273 6.7 18.3	17214 91.0 18.6	4 .0 10.8	18913 18.6
SECOND MONTH		733 1.5 39.1	2901 6.1 41.6	43880 92.3 47.3	8 .0 21.6	47522 46.8
THIRD MONTH		302 1.7 16.1	1215 6.8 17.4	16382 91.5 17.7	4 .0 10.8	17903 17.6
FOURTH MONTH		140 2.0 7.5	574 8.0 8.2	6423 90.0 6.9	2 .0 5.4	7139 7.0
FIFTH MONTH		77 1.9 4.1	367 9.0 5.3	3623 89.0 3.9	5 .1 13.5	4072 4.0
SIXTH MONTH		33 1.5 1.8	218 9.9 3.1	1945 88.5 2.1	2 .1 5.4	2198 2.2
SEVENTH MONTH		8 .6 .4	114 8.4 1.6	1233 90.9 1.3	1 .1 2.7	1356 1.3
EIGHTH MONTH		3 .4 .2	40 5.5 .6	678 93.9 .7	1 .1 2.7	722 .7
NINTH MONTH			13 7.6 .2	159 92.4 .2		172 .2
NOT STATED		41 8.1 2.2	53 10.5 .8	404 80.0 .4	7 1.4 18.9	505 .5
	Column Total	1875 1.8	6966 6.9	92677 91.3	37 .0	101555 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE	36 9.1 4.0	64 16.2 1.6	293 74.2 .4	2 .5 8.7	395 .6
FIRST MONTH	247 1.7 27.5	851 5.8 21.5	13559 92.5 20.4	3 .0 13.0	14660 20.6
SECOND MONTH	393 1.1 43.7	1872 5.2 47.2	33906 93.7 51.0	6 .0 26.1	36177 50.7
THIRD MONTH	135 1.1 15.0	637 5.4 16.1	11130 93.5 16.8	1 .0 4.3	11903 16.7
FOURTH MONTH	43 1.1 4.8	260 6.7 6.6	3595 92.2 5.4		3898 5.5
FIFTH MONTH	22 1.1 2.4	125 6.5 3.2	1779 92.2 2.7	3 .2 13.0	1929 2.7
SIXTH MONTH	6 .6 .7	72 7.2 1.8	925 92.2 1.4		1003 1.4
SEVENTH MONTH	2 .3 .2	44 6.6 1.1	616 92.9 .9	1 .2 4.3	663 .9
EIGHTH MONTH		13 4.0 .3	314 96.0 .5		327 .5
NINTH MONTH		4 5.2 .1	73 94.8 .1		77 .1
NOT STATED	15 5.0 1.7	23 7.7 .6	253 84.9 .4	7 2.3 30.4	298 .4
Column Total	899 1.3	3965 5.6	66443 93.1	23 .0	71330 100.0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

MPCB	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE	80 12.2 8.2	134 20.4 4.5	443 67.3 1.7	1 .2 7.1	658 2.2
FIRST MONTH	175 4.1 17.9	422 9.9 14.1	3655 85.9 13.9	1 .0 7.1	4253 14.1
SECOND MONTH	340 3.0 34.8	1029 9.1 34.3	9974 87.9 38.0	2 .0 14.3	11345 37.5
THIRD MONTH	167 2.8 17.1	578 9.6 19.3	5252 87.5 20.0	3 .0 21.4	6000 19.9
FOURTH MONTH	97 3.0 9.9	314 9.7 10.5	2828 87.3 10.8	2 .1 14.3	3241 10.7
FIFTH MONTH	55 2.6 5.6	242 11.3 8.1	1844 86.0 7.0	2 .1 14.3	2143 7.1
SIXTH MONTH	27 2.3 2.8	146 12.2 4.9	1020 85.4 3.9	2 .2 14.3	1195 4.0
SEVENTH MONTH	6 .9 .6	70 10.1 2.3	617 89.0 2.4		693 2.3
EIGHTH MONTH	3 .8 .3	27 6.8 .9	364 92.2 1.4	1 .3 7.1	395 1.3
NINTH MONTH		9 9.5 .3	86 90.5 .3		95 .3
NOT STATED	26 12.6 2.7	30 14.5 1.0	151 72.9 .6		207 .7
Column Total	976 3.2	3001 9.9	26234 86.8	14 .0	30225 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY EDUCATION OF MOTHER
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
NONE		99	334	411	150	45	14	1053
		9.4	31.7	39.0	14.2	4.3	1.3	1.0
		2.4	1.9	1.2	.6	.2	8.6	
ONE		40	137	117	32	6	1	333
		12.0	41.1	35.1	9.6	1.8	.3	.3
		1.0	.8	.3	.1	.0	.6	
TWO		66	185	163	56	10	5	485
		13.6	38.1	33.6	11.5	2.1	1.0	.5
		1.6	1.1	.5	.2	.0	3.1	
THREE		76	239	281	95	32	2	725
		10.5	33.0	38.8	13.1	4.4	.3	.7
		1.8	1.4	.8	.4	.1	1.2	
FOUR		123	372	365	127	38	2	1027
		12.0	36.2	35.5	12.4	3.7	.2	1.0
		3.0	2.2	1.0	.5	.2	1.2	
FIVE		154	472	510	203	76	7	1422
		10.8	33.2	35.9	14.3	5.3	.5	1.4
		3.7	2.7	1.4	.9	.4	4.3	
SIX		198	536	668	314	145	6	1867
		10.6	28.7	35.8	16.8	7.8	.3	1.8
		4.8	3.1	1.9	1.4	.7	3.7	
SEVEN		180	575	743	360	229	4	2091
		8.6	27.5	35.5	17.2	11.0	.2	2.1
		4.4	3.3	2.1	1.6	1.1	2.5	
EIGHT		282	851	1252	609	375	6	3375
		8.4	25.2	37.1	18.0	11.1	.2	3.3
		6.8	4.9	3.5	2.6	1.8	3.7	
NINE		191	758	1282	704	524	9	3468
		5.5	21.9	37.0	20.3	15.1	.3	3.4
		4.6	4.4	3.6	3.0	2.4	5.5	
TEN		520	1832	3243	1854	1429	15	8893
		5.8	20.6	36.5	20.8	16.1	.2	8.8
		12.6	10.6	9.1	8.0	6.7	9.2	
	Column Total	4130	17229	35526	23115	21392	163	101555
		4.1	17.0	35.0	22.8	21.1	.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
ELEVEN		261	1050	2054	1232	1020	12	5629
		4.6	18.7	36.5	21.9	18.1	.2	5.5
		6.3	6.1	5.8	5.3	4.8	7.4	
TWELVE		536	2514	5670	3757	3467	12	15956
		3.4	15.8	35.5	23.5	21.7	.1	15.7
		13.0	14.6	16.0	16.3	16.2	7.4	
THIRTEEN		238	1239	2937	1920	1882	8	8224
		2.9	15.1	35.7	23.3	22.9	.1	8.1
		5.8	7.2	8.3	8.3	8.8	4.9	
FOURTEEN		270	1473	3646	2646	2953	12	11000
		2.5	13.4	33.1	24.1	26.8	.1	10.8
		6.5	8.5	10.3	11.4	13.8	7.4	
FIFTEEN		462	2473	6581	4970	5474	12	19972
		2.3	12.4	33.0	24.9	27.4	.1	19.7
		11.2	14.4	18.5	21.5	25.6	7.4	
SIXTEEN OR MORE		375	2051	5431	3979	3629	10	15475
		2.4	13.3	35.1	25.7	23.5	.1	15.2
		9.1	11.9	15.3	17.2	17.0	6.1	
NOT STATED		59	138	172	107	58	26	560
		10.5	24.6	30.7	19.1	10.4	4.6	.6
		1.4	.8	.5	.5	.3	16.0	
	Column Total	4130	17229	35526	23115	21392	163	101555
		4.1	17.0	35.0	22.8	21.1	.2	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
NONE		66	97	138	61	26	7	395
		16.7	24.6	34.9	15.4	6.6	1.8	.6
		2.2	1.0	.6	.4	.1	7.2	
ONE		30	38	40	7	3	1	119
		25.2	31.9	33.6	5.9	2.5	.8	.2
		1.0	.4	.2	.0	.0	1.0	
TWO		47	55	44	19	4	3	172
		27.3	32.0	25.6	11.0	2.3	1.7	.2
		1.5	.5	.2	.1	.0	3.1	
THREE		50	75	95	34	17	1	272
		18.4	27.6	34.9	12.5	6.3	.4	.4
		1.6	.7	.4	.2	.1	1.0	
FOUR		76	133	130	46	27	2	414
		18.4	32.1	31.4	11.1	6.5	.5	.6
		2.5	1.3	.6	.3	.1	2.1	
FIVE		111	195	179	94	48	5	632
		17.6	30.9	28.3	14.9	7.6	.8	.9
		3.6	1.9	.8	.6	.3	5.2	
SIX		136	247	292	164	104	3	946
		14.4	26.1	30.9	17.3	11.0	.3	1.3
		4.5	2.4	1.3	1.0	.6	3.1	
SEVEN		135	281	369	201	177	4	1167
		11.6	24.1	31.6	17.2	15.2	.3	1.6
		4.4	2.8	1.6	1.2	1.0	4.1	
EIGHT		209	427	650	370	299	5	1960
		10.7	21.8	33.2	18.9	15.3	.3	2.7
		6.9	4.2	2.8	2.2	1.7	5.2	
NINE		146	426	757	450	428	6	2213
		6.6	19.2	34.2	20.3	19.3	.3	3.1
		4.8	4.2	3.2	2.7	2.4	6.2	
TEN		377	1030	1980	1264	1180	5	5836
		6.5	17.6	33.9	21.7	20.2	.1	8.2
		12.4	10.1	8.5	7.6	6.5	5.2	
(Continued)	Column Total	3047	10189	23333	16574	18090	97	71330
		4.3	14.3	32.7	23.2	25.4	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	EDUC: NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
ELEVEN	198	621	1348	895	871	8	3941
	5.0	15.8	34.2	22.7	22.1	.2	5.5
	6.5	6.1	5.8	5.4	4.8	8.2	
TWELVE	400	1563	3867	2839	2979	6	11654
	3.4	13.4	33.2	24.4	25.6	.1	16.3
	13.1	15.3	16.6	17.1	16.5	6.2	
THIRTEEN	172	821	2049	1408	1619	4	6073
	2.8	13.5	33.7	23.2	26.7	.1	8.5
	5.6	8.1	8.8	8.5	8.9	4.1	
FOURTEEN	203	958	2611	1966	2521	7	8266
	2.5	11.6	31.6	23.8	30.5	.1	11.6
	6.7	9.4	11.2	11.9	13.9	7.2	
FIFTEEN	342	1605	4625	3666	4634	8	14880
	2.3	10.8	31.1	24.6	31.1	.1	20.9
	11.2	15.8	19.8	22.1	25.6	8.2	
SIXTEEN OR MORE	300	1541	4075	3029	3110	6	12061
	2.5	12.8	33.8	25.1	25.8	.0	16.9
	9.8	15.1	17.5	18.3	17.2	6.2	
NOT STATED	49	76	84	61	43	16	329
	14.9	23.1	25.5	18.5	13.1	4.9	.5
	1.6	.7	.4	.4	.2	16.5	
Column Total	3047	10189	23333	16574	18090	97	71330
	4.3	14.3	32.7	23.2	25.4	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
NONE		33	237	273	89	19	7	658
		5.0	36.0	41.5	13.5	2.9	1.1	2.2
		3.0	3.4	2.2	1.4	.6	10.6	
ONE		10	99	77	25	3		214
		4.7	46.3	36.0	11.7	1.4		.7
		.9	1.4	.6	.4	.1		
TWO		19	130	119	37	6	2	313
		6.1	41.5	38.0	11.8	1.9	.6	1.0
		1.8	1.8	1.0	.6	.2	3.0	
THREE		26	164	186	61	15	1	453
		5.7	36.2	41.1	13.5	3.3	.2	1.5
		2.4	2.3	1.5	.9	.5	1.5	
FOUR		47	239	235	81	11		613
		7.7	39.0	38.3	13.2	1.8		2.0
		4.3	3.4	1.9	1.2	.3		
FIVE		43	277	331	109	28	2	790
		5.4	35.1	41.9	13.8	3.5	.3	2.6
		4.0	3.9	2.7	1.7	.8	3.0	
SIX		62	289	376	150	41	3	921
		6.7	31.4	40.8	16.3	4.5	.3	3.0
		5.7	4.1	3.1	2.3	1.2	4.5	
SEVEN		45	294	374	159	52		924
		4.9	31.8	40.5	17.2	5.6		3.1
		4.2	4.2	3.1	2.4	1.6		
EIGHT		73	424	602	239	76	1	1415
		5.2	30.0	42.5	16.9	5.4	.1	4.7
		6.7	6.0	4.9	3.7	2.3	1.5	
NINE		45	332	525	254	96	3	1255
		3.6	26.5	41.8	20.2	7.6	.2	4.2
		4.2	4.7	4.3	3.9	2.9	4.5	
TEN		143	802	1263	590	249	10	3057
		4.7	26.2	41.3	19.3	8.1	.3	10.1
		13.2	11.4	10.4	9.0	7.5	15.2	
(Continued)	Column Total	1083	7040	12193	6541	3302	66	30225
		3.6	23.3	40.3	21.6	10.9	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM.	H.S. 1-3 YEARS	H.S. 4 YEARS	COL.1-3 YEARS	COL. 4+ YEARS	NOT STATED	Row Total
ELEVEN		63	429	706	337	149	4	1688
		3.7	25.4	41.8	20.0	8.8	.2	5.6
		5.8	6.1	5.8	5.2	4.5	6.1	
TWELVE		136	951	1803	918	488	6	4302
		3.2	22.1	41.9	21.3	11.3	.1	14.2
		12.6	13.5	14.8	14.0	14.8	9.1	
THIRTEEN		66	418	888	512	263	4	2151
		3.1	19.4	41.3	23.8	12.2	.2	7.1
		6.1	5.9	7.3	7.8	8.0	6.1	
FOURTEEN		67	515	1035	680	432	5	2734
		2.5	18.8	37.9	24.9	15.8	.2	9.0
		6.2	7.3	8.5	10.4	13.1	7.6	
FIFTEEN		120	868	1956	1304	840	4	5092
		2.4	17.0	38.4	25.6	16.5	.1	16.8
		11.1	12.3	16.0	19.9	25.4	6.1	
SIXTEEN OR MORE		75	510	1356	950	519	4	3414
		2.2	14.9	39.7	27.8	15.2	.1	11.3
		6.9	7.2	11.1	14.5	15.7	6.1	
NOT STATED		10	62	88	46	15	10	231
		4.3	26.8	38.1	19.9	6.5	4.3	.8
		.9	.9	.7	.7	.5	15.2	
	Column Total	1083	7040	12193	6541	3302	66	30225
		3.6	23.3	40.3	21.6	10.9	.2	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY AGE OF MOTHER
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT (Count / Row Pct / Col Pct)	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE			7 .7 8.8	8 .8 2.4	21 2.0 2.3	29 2.8 1.5	53 5.0 1.7	64 6.1 1.5	68 6.5 1.4	77 7.3 1.4	64 6.1 1.2	1053 1.0
ONE	1 .3 50.0		1 .3 1.3	2 .6 .6	9 2.7 1.0	20 6.0 1.1	17 5.1 .5	32 9.6 .8	16 4.8 .3	28 8.4 .5	27 8.1 .5	333 .3
TWO				3 .6 .9	10 2.1 1.1	16 3.3 .8	26 5.4 .8	33 6.8 .8	36 7.4 .7	46 9.5 .8	36 7.4 .6	485 .5
THREE		1 .1 7.1	1 .1 1.3	9 1.2 2.7	18 2.5 2.0	28 3.9 1.5	30 4.1 1.0	41 5.7 1.0	54 7.4 1.1	61 8.4 1.1	58 8.0 1.0	725 .7
FOUR			2 .2 2.5	19 1.9 5.8	32 3.1 3.6	41 4.0 2.2	60 5.8 1.9	88 8.6 2.1	89 8.7 1.8	76 7.4 1.3	71 6.9 1.3	1027 1.0
FIVE			1 .1 1.3	10 .7 3.0	24 1.7 2.7	54 3.8 2.8	73 5.1 2.4	105 7.4 2.5	117 8.2 2.3	103 7.2 1.8	124 8.7 2.2	1422 1.4
SIX			5 .3 6.3	20 1.1 6.1	42 2.2 4.7	76 4.1 4.0	93 5.0 3.0	130 7.0 3.1	141 7.6 2.8	136 7.3 2.4	128 6.9 2.3	1867 1.8
SEVEN	1 .0 50.0	1 .0 7.1	5 .2 6.3	13 .6 4.0	35 1.7 3.9	68 3.3 3.6	109 5.2 3.5	115 5.5 2.8	144 6.9 2.9	180 8.6 3.2	171 8.2 3.1	2091 2.1
EIGHT		1 .0 7.1	9 .3 11.3	29 .9 8.8	63 1.9 7.0	121 3.6 6.4	155 4.6 5.0	209 6.2 5.1	232 6.9 4.6	259 7.7 4.6	239 7.1 4.3	3375 3.3
NINE			4 .1 5.0	13 .4 4.0	44 1.3 4.9	85 2.5 4.5	143 4.1 4.6	182 5.2 4.4	243 7.0 4.8	238 6.9 4.2	212 6.1 3.8	3468 3.4
TEN		2 .0 14.3	6 .1 7.5	39 .4 11.9	108 1.2 12.1	210 2.4 11.1	373 4.2 12.0	448 5.0 10.8	569 6.4 11.3	611 6.9 10.8	519 5.8 9.3	8893 8.8
Column Total	2 .0	14 .0	80 .1	328 .3	894 .9	1899 1.9	3097 3.0	4134 4.1	5018 4.9	5669 5.6	5563 5.5	101555 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE		66 6.3 1.2	74 7.0 1.3	63 6.0 1.1	202 19.2 .7	158 15.0 .7	84 8.0 1.0	14 1.3 1.1	1 .1 2.9		1053 1.0
ONE		14 4.2 .2	18 5.4 .3	16 4.8 .3	68 20.4 .3	42 12.6 .2	16 4.8 .2	6 1.8 .5			333 .3
TWO		30 6.2 .5	32 6.6 .6	27 5.6 .5	96 19.8 .4	65 13.4 .3	24 4.9 .3	5 1.0 .4			485 .5
THREE		50 6.9 .9	55 7.6 1.0	49 6.8 .8	151 20.8 .6	72 9.9 .3	39 5.4 .5	8 1.1 .7			725 .7
FOUR		77 7.5 1.4	60 5.8 1.1	59 5.7 1.0	187 18.2 .7	104 10.1 .5	54 5.3 .7	7 .7 .6	1 .1 2.9		1027 1.0
FIVE		89 6.3 1.6	87 6.1 1.5	100 7.0 1.7	256 18.0 .9	182 12.8 .9	87 6.1 1.1	10 .7 .8			1422 1.4
SIX		125 6.7 2.2	118 6.3 2.1	113 6.1 1.9	364 19.5 1.3	254 13.6 1.2	97 5.2 1.2	24 1.3 2.0		1 .1 11.1	1867 1.8
SEVEN		141 6.7 2.5	125 6.0 2.2	123 5.9 2.1	451 21.6 1.7	269 12.9 1.3	117 5.6 1.4	21 1.0 1.7	2 .1 5.7		2091 2.1
EIGHT		219 6.5 3.9	198 5.9 3.5	168 5.0 2.8	741 22.0 2.7	507 15.0 2.4	206 6.1 2.5	17 .5 1.4	2 .1 5.7		3375 3.3
NINE		206 5.9 3.6	213 6.1 3.8	197 5.7 3.3	825 23.8 3.0	586 16.9 2.8	229 6.6 2.8	47 1.4 3.8	1 .0 2.9		3468 3.4
TEN		519 5.8 9.1	494 5.6 8.8	477 5.4 8.0	2147 24.1 7.9	1636 18.4 7.8	623 7.0 7.6	107 1.2 8.7	4 .0 11.4	1 .0 11.1	8893 8.8
(Continued)	Column Total	5684 5.6	5616 5.5	5942 5.9	27059 26.6	21109 20.8	8176 8.1	1227 1.2	35 .0	9 .0	101555 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT (Count / Row Pct / Col Pct)	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
ELEVEN		2 .0 14.3	8 .1 10.0	13 .2 4.0	59 1.0 6.6	113 2.0 6.0	204 3.6 6.6	258 4.6 6.2	272 4.8 5.4	369 6.6 6.5	337 6.0 6.1	5629 5.5
TWELVE		1 .0 7.1	8 .1 10.0	46 .3 14.0	124 .8 13.9	285 1.8 15.0	474 3.0 15.3	674 4.2 16.3	754 4.7 15.0	879 5.5 15.5	857 5.4 15.4	15956 15.7
THIRTEEN		1 .0 7.1	5 .1 6.3	21 .3 6.4	44 .5 4.9	148 1.8 7.8	221 2.7 7.1	298 3.6 7.2	375 4.6 7.5	409 5.0 7.2	431 5.2 7.7	8224 8.1
FOURTEEN		2 .0 14.3	6 .1 7.5	14 .1 4.3	66 .6 7.4	141 1.3 7.4	280 2.5 9.0	361 3.3 8.7	463 4.2 9.2	536 4.9 9.5	520 4.7 9.3	11000 10.8
FIFTEEN		1 .0 7.1	7 .0 8.8	42 .2 12.8	108 .5 12.1	256 1.3 13.5	449 2.2 14.5	589 2.9 14.2	748 3.7 14.9	853 4.3 15.0	927 4.6 16.7	19972 19.7
SIXTEEN OR MORE		2 .0 14.3	4 .0 5.0	24 .2 7.3	79 .5 8.8	195 1.3 10.3	311 2.0 10.0	476 3.1 11.5	656 4.2 13.1	759 4.9 13.4	816 5.3 14.7	15475 15.2
NOT STATED			1 .2 1.3	3 .5 .9	8 1.4 .9	13 2.3 .7	26 4.6 .8	31 5.5 .7	41 7.3 .8	49 8.8 .9	26 4.6 .5	560 .6
Column Total	2 .0	14 .0	80 .1	328 .3	894 .9	1899 1.9	3097 3.0	4134 4.1	5018 4.9	5669 5.6	5563 5.5	101555 100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT (Count / Row Pct / Col Pct)	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	356 6.3 6.3	327 5.8 5.8	330 5.9 5.6	1447 25.7 5.3	1092 19.4 5.2	374 6.6 4.6	66 1.2 5.4	1 .0 2.9	1 .0 11.1	5629 5.5
TWELVE	896 5.6 15.8	856 5.4 15.2	879 5.5 14.8	4238 26.6 15.7	3424 21.5 16.2	1358 8.5 16.6	197 1.2 16.1	5 .0 14.3	1 .0 11.1	15956 15.7
THIRTEEN	490 6.0 8.6	458 5.6 8.2	517 6.3 8.7	2276 27.7 8.4	1746 21.2 8.3	682 8.3 8.3	100 1.2 8.1	2 .0 5.7		8224 8.1
FOURTEEN	549 5.0 9.7	544 4.9 9.7	625 5.7 10.5	3143 28.6 11.6	2662 24.2 12.6	963 8.8 11.8	117 1.1 9.5	7 .1 20.0	1 .0 11.1	11000 10.8
FIFTEEN	963 4.8 16.9	1057 5.3 18.8	1190 6.0 20.0	5925 29.7 21.9	4804 24.1 22.8	1796 9.0 22.0	248 1.2 20.2	7 .0 20.0	2 .0 22.2	19972 19.7
SIXTEEN OR MORE	862 5.6 15.2	871 5.6 15.5	977 6.3 16.4	4413 28.5 16.3	3419 22.1 16.2	1386 9.0 17.0	223 1.4 18.2	2 .0 5.7		15475 15.2
NOT STATED	32 5.7 .6	29 5.2 .5	32 5.7 .5	129 23.0 .5	87 15.5 .4	41 7.3 .5	10 1.8 .8		2 .4 22.2	560 .6
Column Total	5684 5.6	5616 5.5	5942 5.9	27059 26.6	21109 20.8	8176 8.1	1227 1.2	35 .0	9 .0	101555 100.0

Number of Missing Observations: 0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE			2	2	10	10	17	31	24	26	22	20	395
			.5	.5	2.5	2.5	4.3	7.8	6.1	6.6	5.6	5.1	.6
			8.7	2.5	3.0	1.1	1.0	1.3	.8	.7	.6	.5	
ONE				1	3	8	6	7	7	7	11	4	119
				.8	2.5	6.7	5.0	5.9	5.9	5.9	9.2	3.4	.2
				1.2	.9	.9	.4	.3	.2	.2	.3	.1	
TWO					3	6	7	9	16	15	10	13	172
					1.7	3.5	4.1	5.2	9.3	8.7	5.8	7.6	.2
					.9	.6	.4	.4	.5	.4	.3	.4	
THREE				2	5	8	7	12	23	23	19	18	272
				.7	1.8	2.9	2.6	4.4	8.5	8.5	7.0	6.6	.4
				2.5	1.5	.9	.4	.5	.8	.7	.5	.5	
FOUR			1	4	8	20	19	33	43	30	28	29	414
			.2	1.0	1.9	4.8	4.6	8.0	10.4	7.2	6.8	7.0	.6
			4.3	4.9	2.4	2.1	1.2	1.4	1.4	.9	.8	.8	
FIVE			1	1	4	18	31	35	48	40	48	39	632
			.2	.2	.6	2.8	4.9	5.5	7.6	6.3	7.6	6.2	.9
			4.3	1.2	1.2	1.9	1.9	1.5	1.6	1.1	1.4	1.1	
SIX			2	6	10	33	34	55	67	67	71	54	946
			.2	.6	1.1	3.5	3.6	5.8	7.1	7.1	7.5	5.7	1.3
			8.7	7.4	3.0	3.5	2.1	2.3	2.2	1.9	2.0	1.5	
SEVEN		1	1	4	11	23	47	63	59	104	84	88	1167
		.1	.1	.3	.9	2.0	4.0	5.4	5.1	8.9	7.2	7.5	1.6
		100.0	4.3	4.9	3.3	2.5	2.9	2.6	2.0	3.0	2.4	2.4	
EIGHT			2	11	21	53	63	101	120	147	129	117	1960
			.1	.6	1.1	2.7	3.2	5.2	6.1	7.5	6.6	6.0	2.7
			8.7	13.6	6.3	5.7	3.9	4.2	4.0	4.2	3.7	3.2	
NINE			1	5	10	39	66	92	140	141	123	129	2213
			.0	.2	.5	1.8	3.0	4.2	6.3	6.4	5.6	5.8	3.1
			4.3	6.2	3.0	4.2	4.0	3.9	4.7	4.0	3.5	3.5	
TEN			2	5	38	105	195	251	335	366	309	331	5836
			.0	.1	.7	1.8	3.3	4.3	5.7	6.3	5.3	5.7	8.2
			8.7	6.2	11.5	11.3	11.9	10.5	11.2	10.5	8.9	8.9	
(Continued)	Column Total	1	23	81	331	931	1632	2380	2993	3495	3469	3708	71330
		.0	.0	.1	.5	1.3	2.3	3.3	4.2	4.9	4.9	5.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	30 7.6 .8	19 4.8 .5	84 21.3 .4	53 13.4 .3	37 9.4 .6	7 1.8 .8	1 .3 4.2		395 .6
ONE	9 7.6 .2	7 5.9 .2	22 18.5 .1	19 16.0 .1	5 4.2 .1	3 2.5 .3			119 .2
TWO	8 4.7 .2	12 7.0 .3	39 22.7 .2	23 13.4 .1	8 4.7 .1	3 1.7 .3			172 .2
THREE	30 11.0 .8	18 6.6 .4	53 19.5 .3	31 11.4 .2	17 6.3 .3	6 2.2 .6			272 .4
FOUR	21 5.1 .6	23 5.6 .6	85 20.5 .4	49 11.8 .3	19 4.6 .3	2 .5 .2			414 .6
FIVE	33 5.2 .9	48 7.6 1.2	139 22.0 .7	89 14.1 .5	50 7.9 .8	8 1.3 .9			632 .9
SIX	66 7.0 1.7	56 5.9 1.4	201 21.2 1.0	145 15.3 .9	64 6.8 1.0	15 1.6 1.6			946 1.3
SEVEN	67 5.7 1.8	62 5.3 1.5	285 24.4 1.4	181 15.5 1.1	73 6.3 1.1	13 1.1 1.4	1 .1 4.2		1167 1.6
EIGHT	100 5.1 2.6	112 5.7 2.7	482 24.6 2.4	346 17.7 2.1	145 7.4 2.3	11 .6 1.2			1960 2.7
NINE	128 5.8 3.4	142 6.4 3.4	558 25.2 2.7	431 19.5 2.6	172 7.8 2.7	36 1.6 3.9			2213 3.1
TEN	306 5.2 8.1	318 5.4 7.7	1509 25.9 7.4	1233 21.1 7.4	452 7.7 7.1	77 1.3 8.3	3 .1 12.5	1 .0 20.0	5836 8.2
Column Total	3777 5.3	4131 5.8	20433 28.6	16599 23.3	6385 9.0	932 1.3	24 .0	5 .0	71330 100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
ELEVEN		1	3	15	70	105	146	165	226	217	244	3941
		.0	.1	.4	1.8	2.7	3.7	4.2	5.7	5.5	6.2	5.5
		4.3	3.7	4.5	7.5	6.4	6.1	5.5	6.5	6.3	6.6	
TWELVE		5	9	56	133	272	391	446	571	554	608	11654
		.0	.1	.5	1.1	2.3	3.4	3.8	4.9	4.8	5.2	16.3
		21.7	11.1	16.9	14.3	16.7	16.4	14.9	16.3	16.0	16.4	
THIRTEEN		1	5	23	85	127	173	234	268	292	335	6073
		.0	.1	.4	1.4	2.1	2.8	3.9	4.4	4.8	5.5	8.5
		4.3	6.2	6.9	9.1	7.8	7.3	7.8	7.7	8.4	9.0	
FOURTEEN		2	3	27	80	157	224	299	352	334	380	8266
		.0	.0	.3	1.0	1.9	2.7	3.6	4.3	4.0	4.6	11.6
		8.7	3.7	8.2	8.6	9.6	9.4	10.0	10.1	9.6	10.2	
FIFTEEN		1	9	46	129	261	380	461	542	605	636	14880
		.0	.1	.3	.9	1.8	2.6	3.1	3.6	4.1	4.3	20.9
		4.3	11.1	13.9	13.9	16.0	16.0	15.4	15.5	17.4	17.2	
SIXTEEN OR MORE		1	11	41	107	207	357	476	545	596	646	12061
		.0	.1	.3	.9	1.7	3.0	3.9	4.5	4.9	5.4	16.9
		4.3	13.6	12.4	11.5	12.7	15.0	15.9	15.6	17.2	17.4	
NOT STATED					4	11	20	30	25	17	17	329
					1.2	3.3	6.1	9.1	7.6	5.2	5.2	.5
					.4	.7	.8	1.0	.7	.5	.5	
Column Total	1	23	81	331	931	1632	2380	2993	3495	3469	3708	71330
	.0	.0	.1	.5	1.3	2.3	3.3	4.2	4.9	4.9	5.2	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	AGE: 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	223 5.7 5.9	222 5.6 5.4	1103 28.0 5.4	858 21.8 5.2	284 7.2 4.4	57 1.4 6.1	1 .0 4.2	1 .0 20.0	3941 5.5
TWELVE	615 5.3 16.3	648 5.6 15.7	3309 28.4 16.2	2763 23.7 16.6	1115 9.6 17.5	154 1.3 16.5	5 .0 20.8		11654 16.3
THIRTEEN	321 5.3 8.5	386 6.4 9.3	1783 29.4 8.7	1421 23.4 8.6	540 8.9 8.5	78 1.3 8.4	1 .0 4.2		6073 8.5
FOURTEEN	396 4.8 10.5	466 5.6 11.3	2487 30.1 12.2	2174 26.3 13.1	791 9.6 12.4	87 1.1 9.3	6 .1 25.0	1 .0 20.0	8266 11.6
FIFTEEN	748 5.0 19.8	826 5.6 20.0	4670 31.4 22.9	3916 26.3 23.6	1456 9.8 22.8	189 1.3 20.3	4 .0 16.7	1 .0 20.0	14880 20.9
SIXTEEN OR MORE	657 5.4 17.4	750 6.2 18.2	3543 29.4 17.3	2813 23.3 16.9	1130 9.4 17.7	179 1.5 19.2	2 .0 8.3		12061 16.9
NOT STATED	19 5.8 .5	16 4.9 .4	81 24.6 .4	54 16.4 .3	27 8.2 .4	7 2.1 .8		1 .3 20.0	329 .5
Column Total	3777 5.3	4131 5.8	20433 28.6	16599 23.3	6385 9.0	932 1.3	24 .0	5 .0	71330 100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE			5 .8 8.8	6 .9 2.4	11 1.7 2.0	19 2.9 2.0	36 5.5 2.5	33 5.0 1.9	44 6.7 2.2	51 7.8 2.3	42 6.4 2.0	658 2.2
ONE	1 .5 50.0		1 .5 1.8	1 .5 .4	6 2.8 1.1	12 5.6 1.2	11 5.1 .8	25 11.7 1.4	9 4.2 .4	21 9.8 1.0	16 7.5 .8	214 .7
TWO				3 1.0 1.2	7 2.2 1.2	10 3.2 1.0	19 6.1 1.3	24 7.7 1.4	20 6.4 1.0	31 9.9 1.4	26 8.3 1.2	313 1.0
THREE		1 .2 7.7	1 .2 1.8	7 1.5 2.8	13 2.9 2.3	20 4.4 2.1	23 5.1 1.6	29 6.4 1.7	31 6.8 1.5	38 8.4 1.7	39 8.6 1.9	453 1.5
FOUR			1 .2 1.8	15 2.4 6.1	24 3.9 4.3	21 3.4 2.2	41 6.7 2.8	55 9.0 3.1	46 7.5 2.3	46 7.5 2.1	43 7.0 2.1	613 2.0
FIVE				9 1.1 3.6	20 2.5 3.6	36 4.6 3.7	42 5.3 2.9	70 8.9 4.0	69 8.7 3.4	63 8.0 2.9	76 9.6 3.6	790 2.6
SIX			3 .3 5.3	14 1.5 5.7	32 3.5 5.7	43 4.7 4.4	59 6.4 4.0	75 8.1 4.3	74 8.0 3.7	69 7.5 3.2	57 6.2 2.7	921 3.0
SEVEN	1 .1 50.0		4 .4 7.0	9 1.0 3.6	24 2.6 4.3	45 4.9 4.6	62 6.7 4.2	52 5.6 3.0	85 9.2 4.2	76 8.2 3.5	87 9.4 4.2	924 3.1
EIGHT		1 .1 7.7	7 .5 12.3	18 1.3 7.3	42 3.0 7.5	68 4.8 7.0	92 6.5 6.3	108 7.6 6.2	112 7.9 5.5	112 7.9 5.2	110 7.8 5.3	1415 4.7
NINE			3 .2 5.3	8 .6 3.2	34 2.7 6.0	46 3.7 4.8	77 6.1 5.3	90 7.2 5.1	103 8.2 5.1	97 7.7 4.5	89 7.1 4.3	1255 4.2
TEN		2 .1 15.4	4 .1 7.0	34 1.1 13.8	70 2.3 12.4	105 3.4 10.8	178 5.8 12.2	197 6.4 11.2	234 7.7 11.6	245 8.0 11.3	210 6.9 10.0	3057 10.1
Column Total	2 .0	13 .0	57 .2	247 .8	563 1.9	968 3.2	1465 4.8	1754 5.8	2025 6.7	2174 7.2	2094 6.9	30225 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	46 7.0 2.3	44 6.7 2.4	44 6.7 2.4	118 17.9 1.8	105 16.0 2.3	47 7.1 2.6	7 1.1 2.4			658 2.2
ONE	10 4.7 .5	9 4.2 .5	9 4.2 .5	46 21.5 .7	23 10.7 .5	11 5.1 .6	3 1.4 1.0			214 .7
TWO	17 5.4 .9	24 7.7 1.3	15 4.8 .8	57 18.2 .9	42 13.4 .9	16 5.1 .9	2 .6 .7			313 1.0
THREE	32 7.1 1.6	25 5.5 1.4	31 6.8 1.7	98 21.6 1.5	41 9.1 .9	22 4.9 1.2	2 .4 .7			453 1.5
FOUR	48 7.8 2.4	39 6.4 2.1	36 5.9 2.0	102 16.6 1.5	55 9.0 1.2	35 5.7 2.0	5 .8 1.7	1 .2 9.1		613 2.0
FIVE	50 6.3 2.5	54 6.8 2.9	52 6.6 2.9	117 14.8 1.8	93 11.8 2.1	37 4.7 2.1	2 .3 .7			790 2.6
SIX	71 7.7 3.6	52 5.6 2.8	57 6.2 3.1	163 17.7 2.5	109 11.8 2.4	33 3.6 1.8	9 1.0 3.1		1 .1 25.0	921 3.0
SEVEN	53 5.7 2.7	58 6.3 3.2	61 6.6 3.4	166 18.0 2.5	88 9.5 2.0	44 4.8 2.5	8 .9 2.7	1 .1 9.1		924 3.1
EIGHT	102 7.2 5.2	98 6.9 5.3	56 4.0 3.1	259 18.3 3.9	161 11.4 3.6	61 4.3 3.4	6 .4 2.0	2 .1 18.2		1415 4.7
NINE	77 6.1 3.9	85 6.8 4.6	55 4.4 3.0	267 21.3 4.0	155 12.4 3.4	57 4.5 3.2	11 .9 3.7	1 .1 9.1		1255 4.2
TEN	188 6.1 9.5	188 6.1 10.2	159 5.2 8.8	638 20.9 9.6	403 13.2 8.9	171 5.6 9.5	30 1.0 10.2	1 .0 9.1		3057 10.1
Column Total	1976 6.5	1839 6.1	1811 6.0	6626 21.9	4510 14.9	1791 5.9	295 1.0	11 .0	4 .0	30225 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
ELEVEN		2 .1 15.4	7 .4 12.3	10 .6 4.0	44 2.6 7.8	43 2.5 4.4	99 5.9 6.8	112 6.6 6.4	107 6.3 5.3	143 8.5 6.6	120 7.1 5.7	1688 5.6
TWELVE		1 .0 7.7	3 .1 5.3	37 .9 15.0	68 1.6 12.1	152 3.5 15.7	202 4.7 13.8	283 6.6 16.1	308 7.2 15.2	308 7.2 14.2	303 7.0 14.5	4302 14.2
THIRTEEN		1 .0 7.7	4 .2 7.0	16 .7 6.5	21 1.0 3.7	63 2.9 6.5	94 4.4 6.4	125 5.8 7.1	141 6.6 7.0	141 6.6 6.5	139 6.5 6.6	2151 7.1
FOURTEEN		2 .1 15.4	4 .1 7.0	11 .4 4.5	39 1.4 6.9	61 2.2 6.3	123 4.5 8.4	137 5.0 7.8	164 6.0 8.1	184 6.7 8.5	186 6.8 8.9	2734 9.0
FIFTEEN		1 .0 7.7	6 .1 10.5	33 .6 13.4	62 1.2 11.0	127 2.5 13.1	188 3.7 12.8	209 4.1 11.9	287 5.6 14.2	311 6.1 14.3	322 6.3 15.4	5092 16.8
SIXTEEN OR MORE		2 .1 15.4	3 .1 5.3	13 .4 5.3	38 1.1 6.7	88 2.6 9.1	104 3.0 7.1	119 3.5 6.8	180 5.3 8.9	214 6.3 9.8	220 6.4 10.5	3414 11.3
NOT STATED			1 .4 1.8	3 1.3 1.2	8 3.5 1.4	9 3.9 .9	15 6.5 1.0	11 4.8 .6	11 4.8 .5	24 10.4 1.1	9 3.9 .4	231 .8
Column Total	2 .0	13 .0	57 .2	247 .8	563 1.9	968 3.2	1465 4.8	1754 5.8	2025 6.7	2174 7.2	2094 6.9	30225 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	112	104	108	344	234	90	9			1688
	6.6	6.2	6.4	20.4	13.9	5.3	.5			5.6
	5.7	5.7	6.0	5.2	5.2	5.0	3.1			
TWELVE	288	241	231	929	661	243	43		1	4302
	6.7	5.6	5.4	21.6	15.4	5.6	1.0		.0	14.2
	14.6	13.1	12.8	14.0	14.7	13.6	14.6		25.0	
THIRTEEN	155	137	131	493	325	142	22	1		2151
	7.2	6.4	6.1	22.9	15.1	6.6	1.0	.0		7.1
	7.8	7.4	7.2	7.4	7.2	7.9	7.5	9.1		
FOURTEEN	169	148	159	656	488	172	30	1		2734
	6.2	5.4	5.8	24.0	17.8	6.3	1.1	.0		9.0
	8.6	8.0	8.8	9.9	10.8	9.6	10.2	9.1		
FIFTEEN	327	309	364	1255	888	340	59	3	1	5092
	6.4	6.1	7.1	24.6	17.4	6.7	1.2	.1	.0	16.8
	16.5	16.8	20.1	18.9	19.7	19.0	20.0	27.3	25.0	
SIXTEEN OR MORE	216	214	227	870	606	256	44			3414
	6.3	6.3	6.6	25.5	17.8	7.5	1.3			11.3
	10.9	11.6	12.5	13.1	13.4	14.3	14.9			
NOT STATED	15	10	16	48	33	14	3		1	231
	6.5	4.3	6.9	20.8	14.3	6.1	1.3		.4	.8
	.8	.5	.9	.7	.7	.8	1.0		25.0	
Column Total	1976	1839	1811	6626	4510	1791	295	11	4	30225
	6.5	6.1	6.0	21.9	14.9	5.9	1.0	.0	.0	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY MARITAL STATUS
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED	NOT MARRIED	NOT STATED	Row Total
NONE		271	782		1053
		25.7	74.3		1.0
		.4	2.5		
ONE		81	251	1	333
		24.3	75.4	.3	.3
		.1	.8	3.7	
TWO		144	341		485
		29.7	70.3		.5
		.2	1.1		
THREE		237	488		725
		32.7	67.3		.7
		.3	1.5		
FOUR		340	686	1	1027
		33.1	66.8	.1	1.0
		.5	2.2	3.7	
FIVE		544	876	2	1422
		38.3	61.6	.1	1.4
		.8	2.7	7.4	
SIX		813	1054		1867
		43.5	56.5		1.8
		1.2	3.3		
SEVEN		1043	1046	2	2091
		49.9	50.0	.1	2.1
		1.5	3.3	7.4	
EIGHT		1764	1610	1	3375
		52.3	47.7	.0	3.3
		2.5	5.0	3.7	
NINE		2095	1373		3468
		60.4	39.6		3.4
		3.0	4.3		
TEN		5471	3416	6	8893
		61.5	38.4	.1	8.8
		7.9	10.7	22.2	
(Continued)	Column Total	69625	31903	27	101555
		68.6	31.4	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

STATUS Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED	NOT MARRIED	NOT STATED	Row Total
ELEVEN		3818	1811		5629
		67.8	32.2		5.5
		5.5	5.7		
TWELVE		11334	4618	4	15956
		71.0	28.9	.0	15.7
		16.3	14.5	14.8	
THIRTEEN		5970	2252	2	8224
		72.6	27.4	.0	8.1
		8.6	7.1	7.4	
FOURTEEN		8242	2756	2	11000
		74.9	25.1	.0	10.8
		11.8	8.6	7.4	
FIFTEEN		15159	4811	2	19972
		75.9	24.1	.0	19.7
		21.8	15.1	7.4	
SIXTEEN OR MORE		12003	3471	1	15475
		77.6	22.4	.0	15.2
		17.2	10.9	3.7	
NOT STATED		296	261	3	560
		52.9	46.6	.5	.6
		.4	.8	11.1	
	Column Total	69625	31903	27	101555
		68.6	31.4	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

STATUS Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED	NOT MARRIED	NOT STATED	Row Total
NONE		172	223		395
		43.5	56.5		.6
		.3	1.7		
ONE		54	64	1	119
		45.4	53.8	.8	.2
		.1	.5	4.2	
TWO		92	80		172
		53.5	46.5		.2
		.2	.6		
THREE		149	123		272
		54.8	45.2		.4
		.3	1.0		
FOUR		218	195	1	414
		52.7	47.1	.2	.6
		.4	1.5	4.2	
FIVE		370	261	1	632
		58.5	41.3	.2	.9
		.6	2.0	4.2	
SIX		594	352		946
		62.8	37.2		1.3
		1.0	2.7		
SEVEN		793	372	2	1167
		68.0	31.9	.2	1.6
		1.4	2.9	8.3	
EIGHT		1379	580	1	1960
		70.4	29.6	.1	2.7
		2.4	4.5	4.2	
NINE		1677	536		2213
		75.8	24.2		3.1
		2.9	4.2		
TEN		4521	1310	5	5836
		77.5	22.4	.1	8.2
		7.7	10.2	20.8	
	Column Total	58433	12873	24	71330
		81.9	18.0	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

PCVISIT	STATUS: MARRIED	NOT MARRIED	NOT STATED	Row Total
ELEVEN	3192 81.0 5.5	749 19.0 5.8		3941 5.5
TWELVE	9673 83.0 16.6	1977 17.0 15.4	4 .0 16.7	11654 16.3
THIRTEEN	5096 83.9 8.7	975 16.1 7.6	2 .0 8.3	6073 8.5
FOURTEEN	7083 85.7 12.1	1182 14.3 9.2	1 .0 4.2	8266 11.6
FIFTEEN	12832 86.2 22.0	2046 13.8 15.9	2 .0 8.3	14880 20.9
SIXTEEN OR MORE	10313 85.5 17.6	1747 14.5 13.6	1 .0 4.2	12061 16.9
NOT STATED	225 68.4 .4	101 30.7 .8	3 .9 12.5	329 .5
Column Total	58433 81.9	12873 18.0	24 .0	71330 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED	NOT MARRIED	NOT STATED	Row Total
NONE		99	559		658
		15.0	85.0		2.2
		.9	2.9		
ONE		27	187		214
		12.6	87.4		.7
		.2	1.0		
TWO		52	261		313
		16.6	83.4		1.0
		.5	1.4		
THREE		88	365		453
		19.4	80.6		1.5
		.8	1.9		
FOUR		122	491		613
		19.9	80.1		2.0
		1.1	2.6		
FIVE		174	615	1	790
		22.0	77.8	.1	2.6
		1.6	3.2	33.3	
SIX		219	702		921
		23.8	76.2		3.0
		2.0	3.7		
SEVEN		250	674		924
		27.1	72.9		3.1
		2.2	3.5		
EIGHT		385	1030		1415
		27.2	72.8		4.7
		3.4	5.4		
NINE		418	837		1255
		33.3	66.7		4.2
		3.7	4.4		
TEN		950	2106	1	3057
		31.1	68.9	.0	10.1
		8.5	11.1	33.3	
(Continued)	Column Total	11192	19030	3	30225
		37.0	63.0	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

STATUS Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED	NOT MARRIED	NOT STATED	Row Total
ELEVEN		626	1062		1688
		37.1	62.9		5.6
		5.6	5.6		
TWELVE		1661	2641		4302
		38.6	61.4		14.2
		14.8	13.9		
THIRTEEN		874	1277		2151
		40.6	59.4		7.1
		7.8	6.7		
FOURTEEN		1159	1574	1	2734
		42.4	57.6	.0	9.0
		10.4	8.3	33.3	
FIFTEEN		2327	2765		5092
		45.7	54.3		16.8
		20.8	14.5		
SIXTEEN OR MORE		1690	1724		3414
		49.5	50.5		11.3
		15.1	9.1		
NOT STATED		71	160		231
		30.7	69.3		.8
		.6	.8		
	Column Total	11192	19030	3	30225
		37.0	63.0	.0	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY BIRTH ORDER
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE	248 23.6 .7	234 22.2 .7	192 18.2 1.1	156 14.8 1.9	89 8.5 2.4	52 4.9 3.2	33 3.1 4.4	20 1.9 5.5	24 2.3 7.0	5 .5 4.3	1053 1.0
ONE	82 24.6 .2	82 24.6 .3	61 18.3 .3	49 14.7 .6	22 6.6 .6	20 6.0 1.2	9 2.7 1.2	1 .3 .3	7 2.1 2.1		333 .3
TWO	110 22.7 .3	109 22.5 .3	100 20.6 .6	67 13.8 .8	50 10.3 1.3	20 4.1 1.2	8 1.6 1.1	13 2.7 3.6	8 1.6 2.3		485 .5
THREE	198 27.3 .5	163 22.5 .5	135 18.6 .8	102 14.1 1.2	61 8.4 1.6	33 4.6 2.0	19 2.6 2.5	6 .8 1.6	8 1.1 2.3		725 .7
FOUR	313 30.5 .8	276 26.9 .9	185 18.0 1.0	104 10.1 1.2	62 6.0 1.6	41 4.0 2.5	23 2.2 3.1	8 .8 2.2	15 1.5 4.4		1027 1.0
FIVE	375 26.4 1.0	381 26.8 1.2	295 20.7 1.7	185 13.0 2.2	78 5.5 2.1	44 3.1 2.7	24 1.7 3.2	19 1.3 5.2	17 1.2 5.0	4 .3 3.5	1422 1.4
SIX	600 32.1 1.6	513 27.5 1.6	365 19.6 2.1	179 9.6 2.1	103 5.5 2.7	48 2.6 2.9	28 1.5 3.7	12 .6 3.3	16 .9 4.7	3 .2 2.6	1867 1.8
SEVEN	727 34.8 2.0	588 28.1 1.9	370 17.7 2.1	202 9.7 2.4	117 5.6 3.1	45 2.2 2.7	19 .9 2.5	13 .6 3.6	5 .2 1.5	5 .2 4.3	2091 2.1
EIGHT	1216 36.0 3.3	958 28.4 3.0	614 18.2 3.5	283 8.4 3.4	153 4.5 4.1	85 2.5 5.2	31 .9 4.1	17 .5 4.6	16 .5 4.7	2 .1 1.7	3375 3.3
NINE	1239 35.7 3.3	1066 30.7 3.4	635 18.3 3.6	286 8.2 3.4	124 3.6 3.3	60 1.7 3.7	26 .7 3.4	20 .6 5.5	9 .3 2.6	3 .1 2.6	3468 3.4
TEN	3245 36.5 8.8	2664 30.0 8.5	1595 17.9 9.0	764 8.6 9.2	333 3.7 8.9	157 1.8 9.6	61 .7 8.1	39 .4 10.7	28 .3 8.2	7 .1 6.1	8893 8.8
Column Total	36992 36.4	31485 31.0	17756 17.5	8342 8.2	3761 3.7	1643 1.6	754 .7	366 .4	341 .3	115 .1	101555 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
ELEVEN	1970 35.0 5.3	1817 32.3 5.8	1017 18.1 5.7	467 8.3 5.6	210 3.7 5.6	81 1.4 4.9	33 .6 4.4	16 .3 4.4	11 .2 3.2	7 .1 6.1	5629 5.5
TWELVE	6086 38.1 16.5	4975 31.2 15.8	2742 17.2 15.4	1247 7.8 14.9	519 3.3 13.8	212 1.3 12.9	93 .6 12.3	41 .3 11.2	33 .2 9.7	8 .1 7.0	15956 15.7
THIRTEEN	3102 37.7 8.4	2672 32.5 8.5	1378 16.8 7.8	579 7.0 6.9	277 3.4 7.4	110 1.3 6.7	41 .5 5.4	23 .3 6.3	25 .3 7.3	17 .2 14.8	8224 8.1
FOURTEEN	4222 38.4 11.4	3509 31.9 11.1	1873 17.0 10.5	814 7.4 9.8	333 3.0 8.9	128 1.2 7.8	65 .6 8.6	23 .2 6.3	22 .2 6.5	11 .1 9.6	11000 10.8
FIFTEEN	7328 36.7 19.8	6510 32.6 20.7	3423 17.1 19.3	1559 7.8 18.7	666 3.3 17.7	258 1.3 15.7	123 .6 16.3	47 .2 12.8	49 .2 14.4	9 .0 7.8	19972 19.7
SIXTEEN OR MORE	5751 37.2 15.5	4834 31.2 15.4	2676 17.3 15.1	1237 8.0 14.8	538 3.5 14.3	236 1.5 14.4	105 .7 13.9	41 .3 11.2	46 .3 13.5	11 .1 9.6	15475 15.2
NOT STATED	180 32.1 .5	134 23.9 .4	100 17.9 .6	62 11.1 .7	26 4.6 .7	13 2.3 .8	13 2.3 1.7	7 1.3 1.9	2 .4 .6	23 4.1 20.0	560 .6
Column Total	36992 36.4	31485 31.0	17756 17.5	8342 8.2	3761 3.7	1643 1.6	754 .7	366 .4	341 .3	115 .1	101555 100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE	131 33.2 .5	95 24.1 .4	63 15.9 .5	55 13.9 1.0	20 5.1 .9	12 3.0 1.3	7 1.8 1.7	5 1.3 2.7	6 1.5 3.5	1 .3 1.2	395 .6
ONE	38 31.9 .1	28 23.5 .1	28 23.5 .2	13 10.9 .2	3 2.5 .1	6 5.0 .7	2 1.7 .5		1 .8 .6		119 .2
TWO	44 25.6 .2	46 26.7 .2	32 18.6 .3	17 9.9 .3	21 12.2 .9	5 2.9 .6		3 1.7 1.6	4 2.3 2.3		172 .2
THREE	87 32.0 .3	66 24.3 .3	50 18.4 .4	27 9.9 .5	23 8.5 1.0	12 4.4 1.3	6 2.2 1.5		1 .4 .6		272 .4
FOUR	145 35.0 .5	134 32.4 .6	67 16.2 .5	31 7.5 .6	21 5.1 .9	7 1.7 .8	2 .5 .5	3 .7 1.6	4 1.0 2.3		414 .6
FIVE	167 26.4 .6	185 29.3 .8	130 20.6 1.1	83 13.1 1.6	29 4.6 1.3	12 1.9 1.3	10 1.6 2.5	7 1.1 3.8	5 .8 2.9	4 .6 4.8	632 .9
SIX	322 34.0 1.2	281 29.7 1.2	178 18.8 1.5	78 8.2 1.5	43 4.5 1.9	18 1.9 2.0	11 1.2 2.7	5 .5 2.7	8 .8 4.6	2 .2 2.4	946 1.3
SEVEN	431 36.9 1.6	341 29.2 1.5	206 17.7 1.7	92 7.9 1.7	55 4.7 2.4	18 1.5 2.0	11 .9 2.7	6 .5 3.3	2 .2 1.2	5 .4 6.0	1167 1.6
EIGHT	710 36.2 2.7	577 29.4 2.5	363 18.5 3.0	151 7.7 2.8	84 4.3 3.7	43 2.2 4.7	17 .9 4.2	5 .3 2.7	10 .5 5.8		1960 2.7
NINE	797 36.0 3.0	694 31.4 3.0	417 18.8 3.4	169 7.6 3.2	61 2.8 2.7	35 1.6 3.9	18 .8 4.4	12 .5 6.6	7 .3 4.0	3 .1 3.6	2213 3.1
TEN	2175 37.3 8.2	1826 31.3 7.9	1055 18.1 8.6	456 7.8 8.5	182 3.1 8.1	74 1.3 8.2	31 .5 7.6	17 .3 9.3	16 .3 9.2	4 .1 4.8	5836 8.2
Column Total	26610 37.3	23123 32.4	12244 17.2	5344 7.5	2257 3.2	906 1.3	407 .6	183 .3	173 .2	83 .1	71330 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
ELEVEN	1369 34.7 5.1	1339 34.0 5.8	700 17.8 5.7	303 7.7 5.7	134 3.4 5.9	50 1.3 5.5	25 .6 6.1	11 .3 6.0	4 .1 2.3	6 .2 7.2	3941 5.5
TWELVE	4482 38.5 16.8	3797 32.6 16.4	1938 16.6 15.8	847 7.3 15.8	355 3.0 15.7	134 1.1 14.8	55 .5 13.5	20 .2 10.9	21 .2 12.1	5 .0 6.0	11654 16.3
THIRTEEN	2319 38.2 8.7	2053 33.8 8.9	991 16.3 8.1	385 6.3 7.2	182 3.0 8.1	76 1.3 8.4	26 .4 6.4	12 .2 6.6	16 .3 9.2	13 .2 15.7	6073 8.5
FOURTEEN	3201 38.7 12.0	2702 32.7 11.7	1407 17.0 11.5	580 7.0 10.9	216 2.6 9.6	86 1.0 9.5	36 .4 8.8	18 .2 9.8	12 .1 6.9	8 .1 9.6	8266 11.6
FIFTEEN	5538 37.2 20.8	4998 33.6 21.6	2502 16.8 20.4	1097 7.4 20.5	435 2.9 19.3	168 1.1 18.5	77 .5 18.9	28 .2 15.3	29 .2 16.8	8 .1 9.6	14880 20.9
SIXTEEN OR MORE	4542 37.7 17.1	3881 32.2 16.8	2060 17.1 16.8	919 7.6 17.2	380 3.2 16.8	147 1.2 16.2	68 .6 16.7	28 .2 15.3	26 .2 15.0	10 .1 12.0	12061 16.9
NOT STATED	112 34.0 .4	80 24.3 .3	57 17.3 .5	41 12.5 .8	13 4.0 .6	3 .9 .3	5 1.5 1.2	3 .9 1.6	1 .3 .6	14 4.3 16.9	329 .5
Column Total	26610 37.3	23123 32.4	12244 17.2	5344 7.5	2257 3.2	906 1.3	407 .6	183 .3	173 .2	83 .1	71330 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
NONE		117	139	129	101	69	40	26	15	18	4	658
		17.8	21.1	19.6	15.3	10.5	6.1	4.0	2.3	2.7	.6	2.2
		1.1	1.7	2.3	3.4	4.6	5.4	7.5	8.2	10.7	12.5	
ONE		44	54	33	36	19	14	7	1	6		214
		20.6	25.2	15.4	16.8	8.9	6.5	3.3	.5	2.8		.7
		.4	.6	.6	1.2	1.3	1.9	2.0	.5	3.6		
TWO		66	63	68	50	29	15	8	10	4		313
		21.1	20.1	21.7	16.0	9.3	4.8	2.6	3.2	1.3		1.0
		.6	.8	1.2	1.7	1.9	2.0	2.3	5.5	2.4		
THREE		111	97	85	75	38	21	13	6	7		453
		24.5	21.4	18.8	16.6	8.4	4.6	2.9	1.3	1.5		1.5
		1.1	1.2	1.5	2.5	2.5	2.8	3.7	3.3	4.2		
FOUR		168	142	118	73	41	34	21	5	11		613
		27.4	23.2	19.2	11.9	6.7	5.5	3.4	.8	1.8		2.0
		1.6	1.7	2.1	2.4	2.7	4.6	6.1	2.7	6.5		
FIVE		208	196	165	102	49	32	14	12	12		790
		26.3	24.8	20.9	12.9	6.2	4.1	1.8	1.5	1.5		2.6
		2.0	2.3	3.0	3.4	3.3	4.3	4.0	6.6	7.1		
SIX		278	232	187	101	60	30	17	7	8	1	921
		30.2	25.2	20.3	11.0	6.5	3.3	1.8	.8	.9	.1	3.0
		2.7	2.8	3.4	3.4	4.0	4.1	4.9	3.8	4.8	3.1	
SEVEN		296	247	164	110	62	27	8	7	3		924
		32.0	26.7	17.7	11.9	6.7	2.9	.9	.8	.3		3.1
		2.9	3.0	3.0	3.7	4.1	3.7	2.3	3.8	1.8		
EIGHT		506	381	251	132	69	42	14	12	6	2	1415
		35.8	26.9	17.7	9.3	4.9	3.0	1.0	.8	.4	.1	4.7
		4.9	4.6	4.6	4.4	4.6	5.7	4.0	6.6	3.6	6.3	
NINE		442	372	218	117	63	25	8	8	2		1255
		35.2	29.6	17.4	9.3	5.0	2.0	.6	.6	.2		4.2
		4.3	4.4	4.0	3.9	4.2	3.4	2.3	4.4	1.2		
TEN		1070	838	540	308	151	83	30	22	12	3	3057
		35.0	27.4	17.7	10.1	4.9	2.7	1.0	.7	.4	.1	10.1
		10.3	10.0	9.8	10.3	10.0	11.3	8.6	12.0	7.1	9.4	
	Column Total	10382	8362	5512	2998	1504	737	347	183	168	32	30225
		34.3	27.7	18.2	9.9	5.0	2.4	1.1	.6	.6	.1	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
ELEVEN	601 35.6 5.8	478 28.3 5.7	317 18.8 5.8	164 9.7 5.5	76 4.5 5.1	31 1.8 4.2	8 .5 2.3	5 .3 2.7	7 .4 4.2	1 .1 3.1	1688 5.6
TWELVE	1604 37.3 15.4	1178 27.4 14.1	804 18.7 14.6	400 9.3 13.3	164 3.8 10.9	78 1.8 10.6	38 .9 11.0	21 .5 11.5	12 .3 7.1	3 .1 9.4	4302 14.2
THIRTEEN	783 36.4 7.5	619 28.8 7.4	387 18.0 7.0	194 9.0 6.5	95 4.4 6.3	34 1.6 4.6	15 .7 4.3	11 .5 6.0	9 .4 5.4	4 .2 12.5	2151 7.1
FOURTEEN	1021 37.3 9.8	807 29.5 9.7	466 17.0 8.5	234 8.6 7.8	117 4.3 7.8	42 1.5 5.7	29 1.1 8.4	5 .2 2.7	10 .4 6.0	3 .1 9.4	2734 9.0
FIFTEEN	1790 35.2 17.2	1512 29.7 18.1	921 18.1 16.7	462 9.1 15.4	231 4.5 15.4	90 1.8 12.2	46 .9 13.3	19 .4 10.4	20 .4 11.9	1 .0 3.1	5092 16.8
SIXTEEN OR MORE	1209 35.4 11.6	953 27.9 11.4	616 18.0 11.2	318 9.3 10.6	158 4.6 10.5	89 2.6 12.1	37 1.1 10.7	13 .4 7.1	20 .6 11.9	1 .0 3.1	3414 11.3
NOT STATED	68 29.4 .7	54 23.4 .6	43 18.6 .8	21 9.1 .7	13 5.6 .9	10 4.3 1.4	8 3.5 2.3	4 1.7 2.2	1 .4 .6	9 3.9 28.1	231 .8
Column Total	10382 34.3	8362 27.7	5512 18.2	2998 9.9	1504 5.0	737 2.4	347 1.1	183 .6	168 .6	32 .1	30225 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS
BY BIRTH WEIGHT
BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		116	198	736	3	1053
		11.0	18.8	69.9	.3	1.0
		6.2	2.8	.8	8.1	
ONE		44	71	217	1	333
		13.2	21.3	65.2	.3	.3
		2.3	1.0	.2	2.7	
TWO		54	75	352	4	485
		11.1	15.5	72.6	.8	.5
		2.9	1.1	.4	10.8	
THREE		103	114	508		725
		14.2	15.7	70.1		.7
		5.5	1.6	.5		
FOUR		162	148	715	2	1027
		15.8	14.4	69.6	.2	1.0
		8.6	2.1	.8	5.4	
FIVE		182	184	1053	3	1422
		12.8	12.9	74.1	.2	1.4
		9.7	2.6	1.1	8.1	
SIX		182	264	1421		1867
		9.7	14.1	76.1		1.8
		9.7	3.8	1.5		
SEVEN		125	290	1673	3	2091
		6.0	13.9	80.0	.1	2.1
		6.7	4.2	1.8	8.1	
EIGHT		167	387	2820	1	3375
		4.9	11.5	83.6	.0	3.3
		8.9	5.6	3.0	2.7	
NINE		62	346	3060		3468
		1.8	10.0	88.2		3.4
		3.3	5.0	3.3		
TEN		209	822	7861	1	8893
		2.4	9.2	88.4	.0	8.8
		11.1	11.8	8.5	2.7	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

PCVISIT	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
11 ELEVEN	49	344	5232	4	5629
	.9	6.1	92.9	.1	5.5
	2.6	4.9	5.6	10.8	
12 TWELVE	94	913	14949		15956
	.6	5.7	93.7		15.7
	5.0	13.1	16.1		
13 THIRTEEN	39	401	7783	1	8224
	.5	4.9	94.6	.0	8.1
	2.1	5.8	8.4	2.7	
14 FOURTEEN	31	456	10510	3	11000
	.3	4.1	95.5	.0	10.8
	1.7	6.5	11.3	8.1	
15 FIFTEEN	123	889	18959	1	19972
	.6	4.5	94.9	.0	19.7
	6.6	12.8	20.5	2.7	
16 SIXTEEN OR MORE	91	991	14392	1	15475
	.6	6.4	93.0	.0	15.2
	4.9	14.2	15.5	2.7	
17 NOT STATED	42	73	436	9	560
	7.5	13.0	77.9	1.6	.6
	2.2	1.0	.5	24.3	
Column Total	1875	6966	92677	37	101555
	1.8	6.9	91.3	.0	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	36 9.1 4.0	64 16.2 1.6	293 74.2 .4	2 .5 8.7	395 .6
ONE	1	14 11.8 1.6	17 14.3 .4	88 73.9 .1		119 .2
TWO	2	17 9.9 1.9	20 11.6 .5	134 77.9 .2	1 .6 4.3	172 .2
THREE	3	22 8.1 2.4	36 13.2 .9	214 78.7 .3		272 .4
FOUR	4	55 13.3 6.1	52 12.6 1.3	306 73.9 .5	1 .2 4.3	414 .6
FIVE	5	84 13.3 9.3	72 11.4 1.8	475 75.2 .7	1 .2 4.3	632 .9
SIX	6	89 9.4 9.9	124 13.1 3.1	733 77.5 1.1		946 1.3
SEVEN	7	62 5.3 6.9	147 12.6 3.7	955 81.8 1.4	3 .3 13.0	1167 1.6
EIGHT	8	98 5.0 10.9	212 10.8 5.3	1649 84.1 2.5	1 .1 4.3	1960 2.7
NINE	9	37 1.7 4.1	195 8.8 4.9	1981 89.5 3.0		2213 3.1
TEN	10	115 2.0 12.8	467 8.0 11.8	5254 90.0 7.9		5836 8.2
(Continued)	Column Total	899 1.3	3965 5.6	66443 93.1	23 .0	71330 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

PCVISIT	BW Count Row Pct Col Pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
ELEVEN		23 .6 2.6	214 5.4 5.4	3701 93.9 5.6	3 .1 13.0	3941 5.5
TWELVE		51 .4 5.7	531 4.6 13.4	11072 95.0 16.7		11654 16.3
THIRTEEN		24 .4 2.7	242 4.0 6.1	5807 95.6 8.7		6073 8.5
FOURTEEN		14 .2 1.6	272 3.3 6.9	7978 96.5 12.0	2 .0 8.7	8266 11.6
FIFTEEN		79 .5 8.8	568 3.8 14.3	14232 95.6 21.4	1 .0 4.3	14880 20.9
SIXTEEN OR MORE		61 .5 6.8	700 5.8 17.7	11299 93.7 17.0	1 .0 4.3	12061 16.9
NOT STATED		18 5.5 2.0	32 9.7 .8	272 82.7 .4	7 2.1 30.4	329 .5
	Column Total	899 1.3	3965 5.6	66443 93.1	23 .0	71330 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		80	134	443	1	658
		12.2	20.4	67.3	.2	2.2
		8.2	4.5	1.7	7.1	
ONE		30	54	129	1	214
		14.0	25.2	60.3	.5	.7
		3.1	1.8	.5	7.1	
TWO		37	55	218	3	313
		11.8	17.6	69.6	1.0	1.0
		3.8	1.8	.8	21.4	
THREE		81	78	294		453
		17.9	17.2	64.9		1.5
		8.3	2.6	1.1		
FOUR		107	96	409	1	613
		17.5	15.7	66.7	.2	2.0
		11.0	3.2	1.6	7.1	
FIVE		98	112	578	2	790
		12.4	14.2	73.2	.3	2.6
		10.0	3.7	2.2	14.3	
SIX		93	140	688		921
		10.1	15.2	74.7		3.0
		9.5	4.7	2.6		
SEVEN		63	143	718		924
		6.8	15.5	77.7		3.1
		6.5	4.8	2.7		
EIGHT		69	175	1171		1415
		4.9	12.4	82.8		4.7
		7.1	5.8	4.5		
NINE		25	151	1079		1255
		2.0	12.0	86.0		4.2
		2.6	5.0	4.1		
TEN		94	355	2607	1	3057
		3.1	11.6	85.3	.0	10.1
		9.6	11.8	9.9	7.1	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

PCVISIT	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
ELEVEN	26	130	1531	1	1688
	1.5	7.7	90.7	.1	5.6
	2.7	4.3	5.8	7.1	
TWELVE	43	382	3877		4302
	1.0	8.9	90.1		14.2
	4.4	12.7	14.8		
THIRTEEN	15	159	1976	1	2151
	.7	7.4	91.9	.0	7.1
	1.5	5.3	7.5	7.1	
FOURTEEN	17	184	2532	1	2734
	.6	6.7	92.6	.0	9.0
	1.7	6.1	9.7	7.1	
FIFTEEN	44	321	4727		5092
	.9	6.3	92.8		16.8
	4.5	10.7	18.0		
SIXTEEN OR MORE	30	291	3093		3414
	.9	8.5	90.6		11.3
	3.1	9.7	11.8		
NOT STATED	24	41	164	2	231
	10.4	17.7	71.0	.9	.8
	2.5	1.4	.6	14.3	
Column Total	976	3001	26234	14	30225
	3.2	9.9	86.8	.0	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN
BY NUMBER OF PRENATAL VISITS
BY RACE

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	Row Total
NONE	1053 100.0 100.0											1053 1.0
FIRST MONTH		18 .1 5.4	19 .1 3.9	17 .1 2.3	34 .2 3.3	71 .4 5.0	115 .6 6.2	161 .9 7.7	205 1.1 6.1	332 1.8 9.6	1055 5.6 11.9	18913 18.6
SECOND MONTH		23 .0 6.9	33 .1 6.8	64 .1 8.8	134 .3 13.0	203 .4 14.3	355 .7 19.0	493 1.0 23.6	876 1.8 26.0	1041 2.2 30.0	3314 7.0 37.3	47522 46.8
THIRD MONTH		22 .1 6.6	44 .2 9.1	80 .4 11.0	124 .7 12.1	203 1.1 14.3	324 1.8 17.4	400 2.2 19.1	749 4.2 22.2	901 5.0 26.0	2141 12.0 24.1	17903 17.6
FOURTH MONTH		25 .4 7.5	39 .5 8.0	72 1.0 9.9	135 1.9 13.1	188 2.6 13.2	271 3.8 14.5	332 4.7 15.9	581 8.1 17.2	542 7.6 15.6	1204 16.9 13.5	7139 7.0
FIFTH MONTH		28 .7 8.4	58 1.4 12.0	88 2.2 12.1	142 3.5 13.8	224 5.5 15.8	287 7.0 15.4	325 8.0 15.5	463 11.4 13.7	365 9.0 10.5	737 18.1 8.3	4072 4.0
SIXTH MONTH		35 1.6 10.5	69 3.1 14.2	130 5.9 17.9	147 6.7 14.3	210 9.6 14.8	240 10.9 12.9	199 9.1 9.5	309 14.1 9.2	169 7.7 4.9	282 12.8 3.2	2198 2.2
SEVENTH MONTH		43 3.2 12.9	84 6.2 17.3	124 9.1 17.1	158 11.7 15.4	202 14.9 14.2	184 13.6 9.9	119 8.8 5.7	144 10.6 4.3	84 6.2 2.4	109 8.0 1.2	1356 1.3
EIGHTH MONTH		65 9.0 19.5	88 12.2 18.1	117 16.2 16.1	125 17.3 12.2	104 14.4 7.3	76 10.5 4.1	48 6.6 2.3	35 4.8 1.0	17 2.4 .5	21 2.9 .2	722 .7
NINTH MONTH		61 35.5 18.3	43 25.0 8.9	23 13.4 3.2	11 6.4 1.1	11 6.4 .8	6 3.5 .3	4 2.3 .2		3 1.7 .1	4 2.3 .0	172 .2
NOT STATED		13 2.6 3.9	8 1.6 1.6	10 2.0 1.4	17 3.4 1.7	6 1.2 .4	9 1.8 .5	10 2.0 .5	13 2.6 .4	14 2.8 .4	26 5.1 .3	505 .5
Column Total	1053 1.0	333 .3	485 .5	725 .7	1027 1.0	1422 1.4	1867 1.8	2091 2.1	3375 3.3	3468 3.4	8893 8.8	101555 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB (Count / Row Pct / Col Pct)	PCVISIT ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	Row Total
NONE								1053 1.0
FIRST MONTH	607 3.2 10.8	3139 16.6 19.7	1442 7.6 17.5	2182 11.5 19.8	5163 27.3 25.9	4301 22.7 27.8	52 .3 9.3	18913 18.6
SECOND MONTH	2307 4.9 41.0	7965 16.8 49.9	4502 9.5 54.7	6386 13.4 58.1	11313 23.8 56.6	8418 17.7 54.4	95 .2 17.0	47522 46.8
THIRD MONTH	1544 8.6 27.4	3168 17.7 19.9	1544 8.6 18.8	1799 10.0 16.4	2715 15.2 13.6	2100 11.7 13.6	45 .3 8.0	17903 17.6
FOURTH MONTH	676 9.5 12.0	1068 15.0 6.7	524 7.3 6.4	466 6.5 4.2	540 7.6 2.7	450 6.3 2.9	26 .4 4.6	7139 7.0
FIFTH MONTH	327 8.0 5.8	444 10.9 2.8	146 3.6 1.8	127 3.1 1.2	162 4.0 .8	129 3.2 .8	20 .5 3.6	4072 4.0
SIXTH MONTH	124 5.6 2.2	121 5.5 .8	42 1.9 .5	22 1.0 .2	45 2.0 .2	43 2.0 .3	11 .5 2.0	2198 2.2
SEVENTH MONTH	33 2.4 .6	27 2.0 .2	8 .6 .1	10 .7 .1	12 .9 .1	10 .7 .1	5 .4 .9	1356 1.3
EIGHTH MONTH	3 .4 .1	3 .4 .0	3 .4 .0	4 .6 .0	4 .6 .0	5 .7 .0	4 .6 .7	722 .7
NINTH MONTH					2 1.2 .0	2 1.2 .0	2 1.2 .4	172 .2
NOT STATED	8 1.6 .1	21 4.2 .1	13 2.6 .2	4 .8 .0	16 3.2 .1	17 3.4 .1	300 59.4 53.6	505 .5
Column Total	5629 5.5	15956 15.7	8224 8.1	11000 10.8	19972 19.7	15475 15.2	560 .6	101555 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	Row Total
NONE	395 100.0 100.0											395 .6
FIRST MONTH		7 .0 5.9	5 .0 2.9	7 .0 2.6	15 .1 3.6	47 .3 7.4	64 .4 6.8	104 .7 8.9	140 1.0 7.1	248 1.7 11.2	787 5.4 13.5	14660 20.6
SECOND MONTH		8 .0 6.7	14 .0 8.1	28 .1 10.3	59 .2 14.3	97 .3 15.3	215 .6 22.7	305 .8 26.1	610 1.7 31.1	761 2.1 34.4	2394 6.6 41.0	36177 50.7
THIRD MONTH		9 .1 7.6	15 .1 8.7	30 .3 11.0	41 .3 9.9	86 .7 13.6	176 1.5 18.6	237 2.0 20.3	441 3.7 22.5	583 4.9 26.3	1407 11.8 24.1	11903 16.7
FOURTH MONTH		10 .3 8.4	15 .4 8.7	25 .6 9.2	45 1.2 10.9	90 2.3 14.2	120 3.1 12.7	186 4.8 15.9	294 7.5 15.0	277 7.1 12.5	656 16.8 11.2	3898 5.5
FIFTH MONTH		6 .3 5.0	18 .9 10.5	21 1.1 7.7	56 2.9 13.5	86 4.5 13.6	128 6.6 13.5	152 7.9 13.0	220 11.4 11.2	195 10.1 8.8	353 18.3 6.0	1929 2.7
SIXTH MONTH		10 1.0 8.4	19 1.9 11.0	43 4.3 15.8	49 4.9 11.8	76 7.6 12.0	107 10.7 11.3	90 9.0 7.7	155 15.5 7.9	84 8.4 3.8	146 14.6 2.5	1003 1.4
SEVENTH MONTH		13 2.0 10.9	29 4.4 16.9	51 7.7 18.8	73 11.0 17.6	95 14.3 15.0	90 13.6 9.5	63 9.5 5.4	78 11.8 4.0	43 6.5 1.9	63 9.5 1.1	663 .9
EIGHTH MONTH		23 7.0 19.3	33 10.1 19.2	54 16.5 19.9	64 19.6 15.5	49 15.0 7.8	38 11.6 4.0	22 6.7 1.9	15 4.6 .8	11 3.4 .5	8 2.4 .1	327 .5
NINTH MONTH		25 32.5 21.0	21 27.3 12.2	10 13.0 3.7	6 7.8 1.4	4 5.2 .6	2 2.6 .2	2 2.6 .2		1 1.3 .0	2 2.6 .0	77 .1
NOT STATED		8 2.7 6.7	3 1.0 1.7	3 1.0 1.1	6 2.0 1.4	2 .7 .3	6 2.0 .6	6 2.0 .5	7 2.3 .4	10 3.4 .5	20 6.7 .3	298 .4
Column Total	395 .6	119 .2	172 .2	272 .4	414 .6	632 .9	946 1.3	1167 1.6	1960 2.7	2213 3.1	5836 8.2	71330 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	PCVISIT ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	Row Total
NONE								395 .6
FIRST MONTH	493 3.4 12.5	2406 16.4 20.6	1163 7.9 19.2	1749 11.9 21.2	3907 26.7 26.3	3479 23.7 28.8	39 .3 11.9	14660 20.6
SECOND MONTH	1768 4.9 44.9	6287 17.4 53.9	3379 9.3 55.6	4873 13.5 59.0	8648 23.9 58.1	6671 18.4 55.3	60 .2 18.2	36177 50.7
THIRD MONTH	1059 8.9 26.9	2004 16.8 17.2	1089 9.1 17.9	1270 10.7 15.4	1889 15.9 12.7	1543 13.0 12.8	24 .2 7.3	11903 16.7
FOURTH MONTH	383 9.8 9.7	612 15.7 5.3	332 8.5 5.5	286 7.3 3.5	304 7.8 2.0	251 6.4 2.1	12 .3 3.6	3898 5.5
FIFTH MONTH	154 8.0 3.9	244 12.6 2.1	73 3.8 1.2	63 3.3 .8	82 4.3 .6	68 3.5 .6	10 .5 3.0	1929 2.7
SIXTH MONTH	58 5.8 1.5	69 6.9 .6	22 2.2 .4	14 1.4 .2	26 2.6 .2	30 3.0 .2	5 .5 1.5	1003 1.4
SEVENTH MONTH	20 3.0 .5	17 2.6 .1	4 .6 .1	5 .8 .1	8 1.2 .1	8 1.2 .1	3 .5 .9	663 .9
EIGHTH MONTH	1 .3 .0			3 .9 .0	3 .9 .0	1 .3 .0	2 .6 .6	327 .5
NINTH MONTH					2 2.6 .0	1 1.3 .0	1 1.3 .3	77 .1
NOT STATED	5 1.7 .1	15 5.0 .1	11 3.7 .2	3 1.0 .0	11 3.7 .1	9 3.0 .1	173 58.1 52.6	298 .4
Column Total	3941 5.5	11654 16.3	6073 8.5	8266 11.6	14880 20.9	12061 16.9	329 .5	71330 100.0

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN	Row Total
NONE	658 100.0 100.0											658 2.2
FIRST MONTH		11 .3 5.1	14 .3 4.5	10 .2 2.2	19 .4 3.1	24 .6 3.0	51 1.2 5.5	57 1.3 6.2	65 1.5 4.6	84 2.0 6.7	268 6.3 8.8	4253 14.1
SECOND MONTH		15 .1 7.0	19 .2 6.1	36 .3 7.9	75 .7 12.2	106 .9 13.4	140 1.2 15.2	188 1.7 20.3	266 2.3 18.8	280 2.5 22.3	920 8.1 30.1	11345 37.5
THIRD MONTH		13 .2 6.1	29 .5 9.3	50 .8 11.0	83 1.4 13.5	117 1.9 14.8	148 2.5 16.1	163 2.7 17.6	308 5.1 21.8	318 5.3 25.3	734 12.2 24.0	6000 19.9
FOURTH MONTH		15 .5 7.0	24 .7 7.7	47 1.5 10.4	90 2.8 14.7	98 3.0 12.4	151 4.7 16.4	146 4.5 15.8	287 8.9 20.3	265 8.2 21.1	548 16.9 17.9	3241 10.7
FIFTH MONTH		22 1.0 10.3	40 1.9 12.8	67 3.1 14.8	86 4.0 14.0	138 6.4 17.5	159 7.4 17.3	173 8.1 18.7	243 11.3 17.2	170 7.9 13.5	384 17.9 12.6	2143 7.1
SIXTH MONTH		25 2.1 11.7	50 4.2 16.0	87 7.3 19.2	98 8.2 16.0	134 11.2 17.0	133 11.1 14.4	109 9.1 11.8	154 12.9 10.9	85 7.1 6.8	136 11.4 4.4	1195 4.0
SEVENTH MONTH		30 4.3 14.0	55 7.9 17.6	73 10.5 16.1	85 12.3 13.9	107 15.4 13.5	94 13.6 10.2	56 8.1 6.1	66 9.5 4.7	41 5.9 3.3	46 6.6 1.5	693 2.3
EIGHTH MONTH		42 10.6 19.6	55 13.9 17.6	63 15.9 13.9	61 15.4 10.0	55 13.9 7.0	38 9.6 4.1	26 6.6 2.8	20 5.1 1.4	6 1.5 .5	13 3.3 .4	395 1.3
NINTH MONTH		36 37.9 16.8	22 23.2 7.0	13 13.7 2.9	5 5.3 .8	7 7.4 .9	4 4.2 .4	2 2.1 .2		2 2.1 .2	2 2.1 .1	95 .3
NOT STATED		5 2.4 2.3	5 2.4 1.6	7 3.4 1.5	11 5.3 1.8	4 1.9 .5	3 1.4 .3	4 1.9 .4	6 2.9 .4	4 1.9 .3	6 2.9 .2	207 .7
Column Total	658 2.2	214 .7	313 1.0	453 1.5	613 2.0	790 2.6	921 3.0	924 3.1	1415 4.7	1255 4.2	3057 10.1	30225 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	PCVISIT ELEVEN	TWELVE	THIRTEEN	FOURTEEN	FIFTEEN	SIXTEEN OR MORE	NOT STATED	Row Total
NONE								658 2.2
FIRST MONTH	114 2.7 6.8	733 17.2 17.0	279 6.6 13.0	433 10.2 15.8	1256 29.5 24.7	822 19.3 24.1	13 .3 5.6	4253 14.1
SECOND MONTH	539 4.8 31.9	1678 14.8 39.0	1123 9.9 52.2	1513 13.3 55.3	2665 23.5 52.3	1747 15.4 51.2	35 .3 15.2	11345 37.5
THIRD MONTH	485 8.1 28.7	1164 19.4 27.1	455 7.6 21.2	529 8.8 19.3	826 13.8 16.2	557 9.3 16.3	21 .3 9.1	6000 19.9
FOURTH MONTH	293 9.0 17.4	456 14.1 10.6	192 5.9 8.9	180 5.6 6.6	236 7.3 4.6	199 6.1 5.8	14 .4 6.1	3241 10.7
FIFTH MONTH	173 8.1 10.2	200 9.3 4.6	73 3.4 3.4	64 3.0 2.3	80 3.7 1.6	61 2.8 1.8	10 .5 4.3	2143 7.1
SIXTH MONTH	66 5.5 3.9	52 4.4 1.2	20 1.7 .9	8 .7 .3	19 1.6 .4	13 1.1 .4	6 .5 2.6	1195 4.0
SEVENTH MONTH	13 1.9 .8	10 1.4 .2	4 .6 .2	5 .7 .2	4 .6 .1	2 .3 .1	2 .3 .9	693 2.3
EIGHTH MONTH	2 .5 .1	3 .8 .1	3 .8 .1	1 .3 .0	1 .3 .0	4 1.0 .1	2 .5 .9	395 1.3
NINTH MONTH						1 1.1 .0	1 1.1 .4	95 .3
NOT STATED	3 1.4 .2	6 2.9 .1	2 1.0 .1	1 .5 .0	5 2.4 .1	8 3.9 .2	127 61.4 55.0	207 .7
Column Total	1688 5.6	4302 14.2	2151 7.1	2734 9.0	5092 16.8	3414 11.3	231 .8	30225 100.0

Number of Missing Observations: 0

MEDICAL HISTORY
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		755	3717	68528	19	73019
		1.0	5.1	93.8	.0	71.9
		40.3	53.4	73.9	51.4	
ANEMIA		31	149	2004	0	2184
		1.4	6.8	91.8	.0	2.2
		1.7	2.1	2.2	.0	
DIABETES		52	176	2179	1	2408
		2.2	7.3	90.5	.0	2.4
		2.8	2.5	2.4	2.7	
HYPERTENSION		236	873	4908	4	6021
		3.9	14.5	81.5	.1	5.9
		12.6	12.5	5.3	10.8	
ALL OTHERS		965	2504	17621	11	21101
		4.6	11.9	83.5	.1	20.8
		51.5	35.9	19.0	29.7	
ONE OR MORE		1117	3244	24130	13	28504
		3.9	11.4	84.7	.0	28.1
		59.6	46.6	26.0	35.1	
UNKNOWN		3	5	19	5	32
		9.4	15.6	59.4	15.6	.0
		.2	.1	.0	13.5	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

MEDS	Count / Row pct / Col pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		375	2136	50073	11	52595
		.7	4.1	95.2	.0	73.7
		41.7	53.9	75.4	47.8	
ANEMIA		14	62	1151	0	1227
		1.1	5.1	93.8	.0	1.7
		1.6	1.6	1.7	.0	
DIABETES		25	101	1521	1	1648
		1.5	6.1	92.3	.1	2.3
		2.8	2.5	2.3	4.3	
HYPERTENSION		125	528	3530	3	4186
		3.0	12.6	84.3	.1	5.9
		13.9	13.3	5.3	13.0	
ALL OTHERS		446	1392	11796	5	13639
		3.3	10.2	86.5	.0	19.1
		49.6	35.1	17.8	21.7	
ONE OR MORE		521	1828	16356	7	18712
		2.8	9.8	87.4	.0	26.2
		58.0	46.1	24.6	30.4	
UNKNOWN		3	1	14	5	23
		13.0	4.3	60.9	21.7	.0
		.3	.0	.0	21.7	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		380	1581	18455	8	20424
		1.9	7.7	90.4	.0	67.6
		38.9	52.7	70.3	57.1	
ANEMIA		17	87	853	0	957
		1.8	9.1	89.1	.0	3.2
		1.7	2.9	3.3	.0	
DIABETES		27	75	658	0	760
		3.6	9.9	86.6	.0	2.5
		2.8	2.5	2.5	.0	
HYPERTENSION		111	345	1378	1	1835
		6.0	18.8	75.1	.1	6.1
		11.4	11.5	5.3	7.1	
ALL OTHERS		519	1112	5825	6	7462
		7.0	14.9	78.1	.1	24.7
		53.2	37.1	22.2	42.9	
ONE OR MORE		596	1416	7774	6	9792
		6.1	14.5	79.4	.1	32.4
		61.1	47.2	29.6	42.9	
UNKNOWN		0	4	5	0	9
		.0	44.4	55.6	.0	.0
		.0	.1	.0	.0	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

MATERNAL SMOKING
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OMHS	BW Count Row pct Col pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NO TOBACCO USE		1476 1.7 78.7	5121 6.0 73.5	78655 92.2 84.9	21 .0 56.8	85273 84.0
SMOKED		390 2.4 20.8	1829 11.3 26.3	13931 86.2 15.0	9 .1 24.3	16159 15.9
SMOKING UNKNOWN		9 7.3 .5	16 13.0 .2	91 74.0 .1	7 5.7 18.9	123 .1
	Column Total	1875 1.8	6966 6.9	92677 91.3	37 .0	101555 100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

...

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OMHS	BW Count Row pct Col pct	UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NO TOBACCO USE		653 1.1 72.6	2714 4.6 68.4	55244 94.2 83.1	12 .0 52.2	58623 82.2
SMOKED		239 1.9 26.6	1244 9.9 31.4	11138 88.2 16.8	4 .0 17.4	12625 17.7
SMOKING UNKNOWN		7 8.5 .8	7 8.5 .2	61 74.4 .1	7 8.5 30.4	82 .1
	Column Total	899 1.3	3965 5.6	66443 93.1	23 .0	71330 100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OMHS	Count / Row pct / Col pct	BW UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NO TOBACCO USE		823	2407	23411	9	26650
		3.1	9.0	87.8	.0	88.2
		84.3	80.2	89.2	64.3	
SMOKED		151	585	2793	5	3534
		4.3	16.6	79.0	.1	11.7
		15.5	19.5	10.6	35.7	
SMOKING UNKNOWN		2	9	30	0	41
		4.9	22.0	73.2	.0	.1
		.2	.3	.1	.0	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

MATERNAL WEIGHT GAIN
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
0-9 LBS		333	507	3437	4	4281
		7.8	11.8	80.3	.1	4.2
		17.8	7.3	3.7	10.8	
10-19 LBS		581	1378	10348	7	12314
		4.7	11.2	84.0	.1	12.1
		31.0	19.8	11.2	18.9	
20-29 LBS		456	2166	26206	6	28834
		1.6	7.5	90.9	.0	28.4
		24.3	31.1	28.3	16.2	
30-39 LBS		220	1515	27508	2	29245
		.8	5.2	94.1	.0	28.8
		11.7	21.7	29.7	5.4	
40+ LBS		124	1071	22683	4	23882
		.5	4.5	95.0	.0	23.5
		6.6	15.4	24.5	10.8	
UNKNOWN		161	329	2495	14	2999
		5.4	11.0	83.2	.5	3.0
		8.6	4.7	2.7	37.8	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
0-9 LBS		129	213	2032	0	2374
		5.4	9.0	85.6	.0	3.3
		14.3	5.4	3.1	.0	
10-19 LBS		278	725	6570	4	7577
		3.7	9.6	86.7	.1	10.6
		30.9	18.3	9.9	17.4	
20-29 LBS		230	1248	18789	4	20271
		1.1	6.2	92.7	.0	28.4
		25.6	31.5	28.3	17.4	
30-39 LBS		113	913	20710	1	21737
		.5	4.2	95.3	.0	30.5
		12.6	23.0	31.2	4.3	
40+ LBS		83	713	16761	3	17560
		.5	4.1	95.4	.0	24.6
		9.2	18.0	25.2	13.0	
UNKNOWN		66	153	1581	11	1811
		3.6	8.4	87.3	.6	2.5
		7.3	3.9	2.4	47.8	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

GAINED	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
0-9 LBS	204	294	1405	4	1907
	10.7	15.4	73.7	.2	6.3
	20.9	9.8	5.4	28.6	
10-19 LBS	303	653	3778	3	4737
	6.4	13.8	79.8	.1	15.7
	31.0	21.8	14.4	21.4	
20-29 LBS	226	918	7417	2	8563
	2.6	10.7	86.6	.0	28.3
	23.2	30.6	28.3	14.3	
30-39 LBS	107	602	6798	1	7508
	1.4	8.0	90.5	.0	24.8
	11.0	20.1	25.9	7.1	
40+ LBS	41	358	5922	1	6322
	.6	5.7	93.7	.0	20.9
	4.2	11.9	22.6	7.1	
UNKNOWN	95	176	914	3	1188
	8.0	14.8	76.9	.3	3.9
	9.7	5.9	3.5	21.4	
Column Total	976	3001	26234	14	30225
	3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

OBSTETRIC PROCEDURES
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		125	269	3189	7	3590
		3.5	7.5	88.8	.2	3.5
		6.7	3.9	3.4	18.9	
AMNIOCENTESIS		86	359	2659	0	3104
		2.8	11.6	85.7	.0	3.1
		4.6	5.2	2.9	.0	
ELECT FET MONITORING		1573	6308	83503	19	91403
		1.7	6.9	91.4	.0	90.0
		83.9	90.6	90.1	51.4	
INDUCTION OF LABOR		187	1151	15950	1	17289
		1.1	6.7	92.3	.0	17.0
		10.0	16.5	17.2	2.7	
STIMULATION OF LABOR		122	963	17487	2	18574
		.7	5.2	94.1	.0	18.3
		6.5	13.8	18.9	5.4	
ULTRASOUND		1189	4852	66709	13	72763
		1.6	6.7	91.7	.0	71.6
		63.4	69.7	72.0	35.1	
ALL OTHERS		235	456	1508	0	2199
		10.7	20.7	68.6	.0	2.2
		12.5	6.5	1.6	.0	
ONE OR MORE		1749	6693	89478	25	97945
		1.8	6.8	91.4	.0	96.4
		93.3	96.1	96.5	67.6	
UNKNOWN		1	4	10	5	20
		5.0	20.0	50.0	25.0	.0
		.1	.1	.0	13.5	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		63	154	2309	5	2531
		2.5	6.1	91.2	.2	3.5
		7.0	3.9	3.5	21.7	
AMNIOCENTESIS		51	243	2188	0	2482
		2.1	9.8	88.2	.0	3.5
		5.7	6.1	3.3	.0	
ELECT FET MONITORING		755	3582	59673	10	64020
		1.2	5.6	93.2	.0	89.8
		84.0	90.3	89.8	43.5	
INDUCTION OF LABOR		77	677	12260	0	13014
		.6	5.2	94.2	.0	18.2
		8.6	17.1	18.5	.0	
STIMULATION OF LABOR		53	539	12112	0	12704
		.4	4.2	95.3	.0	17.8
		5.9	13.6	18.2	.0	
ULTRASOUND		577	2943	49082	8	52610
		1.1	5.6	93.3	.0	73.8
		64.2	74.2	73.9	34.8	
ALL OTHERS		124	272	1161	0	1557
		8.0	17.5	74.6	.0	2.2
		13.8	6.9	1.7	.0	
ONE OR MORE		835	3811	64128	13	68787
		1.2	5.5	93.2	.0	96.4
		92.9	96.1	96.5	56.5	
UNKNOWN		1	0	6	5	12
		8.3	.0	50.0	41.7	.0
		.1	.0	.0	21.7	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		62	115	880	2	1059
		5.9	10.9	83.1	.2	3.5
		6.4	3.8	3.4	14.3	
AMNIOCENTESIS		35	116	471	0	622
		5.6	18.6	75.7	.0	2.1
		3.6	3.9	1.8	.0	
ELECT FET MONITORING		818	2726	23830	9	27383
		3.0	10.0	87.0	.0	90.6
		83.8	90.8	90.8	64.3	
INDUCTION OF LABOR		110	474	3690	1	4275
		2.6	11.1	86.3	.0	14.1
		11.3	15.8	14.1	7.1	
STIMULATION OF LABOR		69	424	5375	2	5870
		1.2	7.2	91.6	.0	19.4
		7.1	14.1	20.5	14.3	
ULTRASOUND		612	1909	17627	5	20153
		3.0	9.5	87.5	.0	66.7
		62.7	63.6	67.2	35.7	
ALL OTHERS		111	184	347	0	642
		17.3	28.7	54.0	.0	2.1
		11.4	6.1	1.3	.0	
ONE OR MORE		914	2882	25350	12	29158
		3.1	9.9	86.9	.0	96.5
		93.6	96.0	96.6	85.7	
UNKNOWN		0	4	4	0	8
		.0	50.0	50.0	.0	.0
		.0	.1	.0	.0	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

EVENTS OF LABOR/DELIVERY
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		541	3153	57174	20	60888
		.9	5.2	93.9	.0	60.0
		28.9	45.3	61.7	54.1	
MECONIUM		37	283	7626	0	7946
		.5	3.6	96.0	.0	7.8
		2.0	4.1	8.2	.0	
PREM RUPTURE		392	898	2662	3	3955
		9.9	22.7	67.3	.1	3.9
		20.9	12.9	2.9	8.1	
DYSFUNCTIONAL LABOR		20	144	4216	0	4380
		.5	3.3	96.3	.0	4.3
		1.1	2.1	4.5	.0	
BREECH-MALPRESENT.		390	734	3168	1	4293
		9.1	17.1	73.8	.0	4.2
		20.8	10.5	3.4	2.7	
FETAL DISTRESS		268	946	8555	2	9771
		2.7	9.7	87.6	.0	9.6
		14.3	13.6	9.2	5.4	
ALL OTHERS		796	2009	18287	10	21102
		3.8	9.5	86.7	.0	20.8
		42.5	28.8	19.7	27.0	
ONE OR MORE		1334	3810	35492	11	40647
		3.3	9.4	87.3	.0	40.0
		71.1	54.7	38.3	29.7	
UNKNOWN		0	3	11	6	20
		.0	15.0	55.0	30.0	.0
		.0	.0	.0	16.2	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		267	1737	41604	11	43619
		.6	4.0	95.4	.0	61.2
		29.7	43.8	62.6	47.8	
MECONIUM		14	116	4733	0	4863
		.3	2.4	97.3	.0	6.8
		1.6	2.9	7.1	.0	
PREM RUPTURE		167	521	1890	2	2580
		6.5	20.2	73.3	.1	3.6
		18.6	13.1	2.8	8.7	
DYSFUNCTIONAL LABOR		9	77	2883	0	2969
		.3	2.6	97.1	.0	4.2
		1.0	1.9	4.3	.0	
BREECH-MALPRESENT.		185	520	2561	1	3267
		5.7	15.9	78.4	.0	4.6
		20.6	13.1	3.9	4.3	
FETAL DISTRESS		140	558	5766	1	6465
		2.2	8.6	89.2	.0	9.1
		15.6	14.1	8.7	4.3	
ALL OTHERS		379	1172	13073	7	14631
		2.6	8.0	89.4	.0	20.5
		42.2	29.6	19.7	30.4	
ONE OR MORE		632	2228	24833	7	27700
		2.3	8.0	89.6	.0	38.8
		70.3	56.2	37.4	30.4	
UNKNOWN		0	0	6	5	11
		.0	.0	54.5	45.5	.0
		.0	.0	.0	21.7	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		274	1416	15570	9	17269
		1.6	8.2	90.2	.1	57.1
		28.1	47.2	59.4	64.3	
MECONIUM		23	167	2893	0	3083
		.7	5.4	93.8	.0	10.2
		2.4	5.6	11.0	.0	
PREM RUPTURE		225	377	772	1	1375
		16.4	27.4	56.1	.1	4.5
		23.1	12.6	2.9	7.1	
DYSFUNCTIONAL LABOR		11	67	1333	0	1411
		.8	4.7	94.5	.0	4.7
		1.1	2.2	5.1	.0	
BREECH-MALPRESENT.		205	214	607	0	1026
		20.0	20.9	59.2	.0	3.4
		21.0	7.1	2.3	.0	
FETAL DISTRESS		128	388	2789	1	3306
		3.9	11.7	84.4	.0	10.9
		13.1	12.9	10.6	7.1	
ALL OTHERS		417	837	5214	3	6471
		6.4	12.9	80.6	.0	21.4
		42.7	27.9	19.9	21.4	
ONE OR MORE		702	1582	10659	4	12947
		5.4	12.2	82.3	.0	42.8
		71.9	52.7	40.6	28.6	
UNKNOWN		0	3	5	1	9
		.0	33.3	55.6	11.1	.0
		.0	.1	.0	7.1	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

METHOD OF DELIVERY
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
VAGINAL		1052	4788	72885	28	78753
		1.3	6.1	92.5	.0	77.5
		56.1	68.7	78.6	75.7	
PRIMARY C-SECT		737	1742	12701	6	15186
		4.9	11.5	83.6	.0	15.0
		39.3	25.0	13.7	16.2	
REPEAT C-SECT		84	417	6560	0	7061
		1.2	5.9	92.9	.0	7.0
		4.5	6.0	7.1	.0	
FORCEPS		20	216	4568	2	4806
		.4	4.5	95.0	.0	4.7
		1.1	3.1	4.9	5.4	
VACUUM		9	321	8854	1	9185
		.1	3.5	96.4	.0	9.0
		.5	4.6	9.6	2.7	
UNKNOWN		1	4	9	3	17
		5.9	23.5	52.9	17.6	.0
		.1	.1	.0	8.1	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
VAGINAL		448	2586	52107	17	55158
		.8	4.7	94.5	.0	77.3
		49.8	65.2	78.4	73.9	
PRIMARY C-SECT		404	1110	9117	3	10634
		3.8	10.4	85.7	.0	14.9
		44.9	28.0	13.7	13.0	
REPEAT C-SECT		48	258	4803	0	5109
		.9	5.0	94.0	.0	7.2
		5.3	6.5	7.2	.0	
FORCEPS		12	136	3595	2	3745
		.3	3.6	96.0	.1	5.3
		1.3	3.4	5.4	8.7	
VACUUM		4	220	7166	1	7391
		.1	3.0	97.0	.0	10.4
		.4	5.5	10.8	4.3	
UNKNOWN		0	0	4	3	7
		.0	.0	57.1	42.9	.0
		.0	.0	.0	13.0	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
VAGINAL		604	2202	20778	11	23595
		2.6	9.3	88.1	.0	78.1
		61.9	73.4	79.2	78.6	
PRIMARY C-SECT		333	632	3584	3	4552
		7.3	13.9	78.7	.1	15.1
		34.1	21.1	13.7	21.4	
REPEAT C-SECT		36	159	1757	0	1952
		1.8	8.1	90.0	.0	6.5
		3.7	5.3	6.7	.0	
FORCEPS		8	80	973	0	1061
		.8	7.5	91.7	.0	3.5
		.8	2.7	3.7	.0	
VACUUM		5	101	1688	0	1794
		.3	5.6	94.1	.0	5.9
		.5	3.4	6.4	.0	
UNKNOWN		1	4	5	0	10
		10.0	40.0	50.0	.0	.0
		.1	.1	.0	.0	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

CONDITIONS OF THE NEWBORN
BY BIRTH WEIGHT
BY RACE

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		773	5704	88349	17	94843
		.8	6.0	93.2	.0	93.4
		41.2	81.9	95.3	45.9	
ASSISTED VENTILATION		594	561	1822	5	2982
		19.9	18.8	61.1	.2	2.9
		31.7	8.1	2.0	13.5	
ALL OTHERS		723	861	2767	12	4363
		16.6	19.7	63.4	.3	4.3
		38.6	12.4	3.0	32.4	
ONE OR MORE		1101	1257	4316	14	6688
		16.5	18.8	64.5	.2	6.6
		58.7	18.0	4.7	37.8	
UNKNOWN		1	5	12	6	24
		4.2	20.8	50.0	25.0	.0
		.1	.1	.0	16.2	
	Column Total	1875	6966	92677	37	101555
		1.8	6.9	91.3	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		364	3131	63358	11	66864
		.5	4.7	94.8	.0	93.7
		40.5	79.0	95.4	47.8	
ASSISTED VENTILATION		266	357	1192	4	1819
		14.6	19.6	65.5	.2	2.6
		29.6	9.0	1.8	17.4	
ALL OTHERS		375	601	2099	6	3081
		12.2	19.5	68.1	.2	4.3
		41.7	15.2	3.2	26.1	
ONE OR MORE		534	833	3079	7	4453
		12.0	18.7	69.1	.2	6.2
		59.4	21.0	4.6	30.4	
UNKNOWN		1	1	6	5	13
		7.7	7.7	46.2	38.5	.0
		.1	.0	.0	21.7	
	Column Total	899	3965	66443	23	71330
		1.3	5.6	93.1	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
NONE		409	2573	24991	6	27979
		1.5	9.2	89.3	.0	92.6
		41.9	85.7	95.3	42.9	
ASSISTED VENTILATION		328	204	630	1	1163
		28.2	17.5	54.2	.1	3.8
		33.6	6.8	2.4	7.1	
ALL OTHERS		348	260	668	6	1282
		27.1	20.3	52.1	.5	4.2
		35.7	8.7	2.5	42.9	
ONE OR MORE		567	424	1237	7	2235
		25.4	19.0	55.3	.3	7.4
		58.1	14.1	4.7	50.0	
UNKNOWN		0	4	6	1	11
		.0	36.4	54.5	9.1	.0
		.0	.1	.0	7.1	
	Column Total	976	3001	26234	14	30225
		3.2	9.9	86.8	.0	100.0

Percents and totals based on respondents

101,555 valid cases; 0 missing cases

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 4977

STATE OF NORTH CAROLINA
Department of Environment, Health, and Natural Resources
State Center for Health Statistics
P. O. Box 29538
Raleigh, N.C. 27626-0538

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27626-0538
Permit No. 1862